built-under dishwasher, 60 cm, Stainless steel S215M60S0A





Neff Dishwasher: 15 place setting capacity, LED display, with brilliant cleaning and drying results.

Features

Technical Data

Water consumption : 12.0 | Built-in / Free-standing : Built-in Height of removable worktop : 0 mm Dimensions of the product (HxWxD) : $815 \times 598 \times 573$ mm Required niche size for installation (HxWxD) : 815-875 x 600 x 550 mm Depth with open door 90 degree : 1150 mm Adjustable feet : Yes - all from front Maximum adjustability feet : 60 mm Adjustable plinth : Both horizontal and vertical Net weight : 40.7 kg Gross weight : 43.0 kg Connection Rating : 2400 W Fuse protection : 10 A Voltage : 220-240 V Frequency : 50; 60 Hz Length electrical supply cord : 175 cm Plug type : AU plug Length inlet hose : 165 cm Length outlet hose : 190 cm EAN code : 4242004219415 Number of place settings : 15 Energy consumption : 0.64 kWh Reference programme : Eco Total cycle time of reference programme : 170 min Noise level : 44 dB(A) re 1 pW Installation typology : Built-under





Features

Design

- Built-under Dishwasher 60 cm wide
- Stainless steel finish
- Stainless steel
- Integrated door pocket handle
- Time remaining display
- Wash status display
- Control buttons located on the front fascia panel
- Front-adjustable rear foot
- Programs and functions

• 6 programs:

- , Chef: Heavily soiled and crusted plates, pots and dishes, 70°C
- , Auto: Automatic wash & dry. Mixed loads & soil levels, $45\text{-}65^\circ\text{C}$
- , Eco: Energy efficient wash & dry. Mixed loads & soil levels, 45°C
- , Glass wash: Sensitive glassware, crystal, & fine china, 40°C
- , 1 hour wash: One houre wash & dry program. Mixed loads & soil levels, $65^\circ C$
- , Quick 29minutes (with use of rinse aid): Express 29 minutes wash only. Lightly soiled dishes, 45 $^\circ\mathrm{C}$
- 4 special options:

- EasyClean: Designed to maintain your dishwasher performance over the life of the machine, removing grime and limescale buildup.

, - Intensive Zone: Transform the bottom basket into a powerful cleaning zone with higher water pressure.

, - VarioSpeed: Select to reduce the wash time, up to 50% faster, with no impact on wash performance.

, - ExtraDry: For better drying results on plastics and harder to dry items.

Features

- 15 international place settings
- whisperQuiet operation 44dB(A)
- FlexDrawer 2 cutlery drawer
- VarioFlex Plus basket system with coloured touch points provides total flexibility for all loading requirements
- RackMatic 3 stage height-adjustable top basket, can be positioned at an angle for washing large plates in the bottom basket and tall stem wine glasses in the top basket
- 4 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- 2 cup shelves in top basket
- 4 foldable plate racks in bottom basket
- Variable position cutlery basket in lower basket
- Efficient SilentDrive long life brushless motor
- Electronic delay timer: 1-24 hours
- \bullet AquaSensor $^{\textcircled{B}}$ automatically adapts water usage depending on the degree of soiling

LoadSensor automatically optimises water usage, saving water and electricity

Technical information

- 4 Star energy rating, 5 Star WELS water rating
- 12 litres water consumption per wash and 235kWh energy consumption per year, based on Eco 45°C program
- 815-875 mm x 598 mm x 573 mm

Additional information

- Neff AquaStop® water supply device with anti-flood protection
- DosageAssist ensures perfect cleaning results with every wash cycle. The tablet is dropped into a specially engineered tray and is completely dissolved
- LED rinse-aid refill indicator
- hydroDry heat exchanger assists with condensation to help dry dishes
- Alternating spray-arm washing
- 5 Spray levels
- 3 stage self-cleaning filter system
- Automatic detergent aware system detects the type of detergent used and adjusts the wash program accordingly
- Red large item spray head included for washing extra large items such as baking trays and rangehood filters Vapor barrier plate included

built-under dishwasher, 60 cm, Stainless steel S215M60S0A



