


N 70, Electric cooktop, 60 cm, Black,  
T11D41X2



COOKING PASSION SINCE 1877



Standalone electric cooktop with TouchControl

√ Touch Control – Control your cooktop with a simple touch.

#### Features

##### Technical Data

Product name/family : Cooking zone ceramic

Built-in / Free-standing : Built-in

Energy input : Electric

Total number of positions that can be used at the same time : 4

Min. required niche size for installation (HxWxD) : 45 x 560-560 x 490-500 mm

Width of the appliance : 592 mm

Dimensions (HxWxD) : 45 x 592 x 522 mm

Dimensions of the packed product (HxWxD) : 100 x 750 x 590 mm

Net weight : 7.6 kg

Gross weight : 8.4 kg

Residual heat indicator : separate

Location of control panel : Hob front

Basic surface material : Ceramic

Color of surface : Black

EAN code : 4242004163497

Voltage : 220-240 V

Frequency : 50; 60 Hz

#### Optional accessories

Z9428FE0 Iron pan Ø 18 / 28 cm  
Z943SE0 Set of 2 pots and 1 pan



4 242004 163497

## Features

- 60 cm Cooktop Radiant: space for 4 pots or pans.

### Flexibility of cooking zones

- Ring zone double: use regular or larger cookware on the expandable cooking zone.
- Cooking zone front left: 145 mm, 1.2 KW
- Cooking zone rear left: 180 mm, 2 KW
- Cooking zone rear right: 145 mm, 1.2 KW
- Cooking zone front right: 120 mm, 210 mm, 0.75 KW

### Usage convenience

- 17 power levels for each cooking zone: precisely adapt the heat with 17 power levels (9 main levels and 8 intermediate levels).
- Keep warm function for all cooking zones: keep dishes warm at preset low power level.
- LED display and timer with auto switch off for all cooking zones: switches off the cooking zone at the end of the time set (e.g. for boiled eggs).
- Alarm clock: an alarm sounds at the end of the time set (e.g. for pasta).

### Time saving & efficiency

- ReStart function: in case of unintentional switch-off, restore all previous settings by switching on the cooktop again within 4 seconds.
- Quick Stop: quickly switch off a cooking zone with one longer touch.

### Design

- Beveled front


### Safety

- Residual heat indicator: Digital 2-step: indicates which cooking zones are still hot or warm.
- Child safety lock: prevent unintended activation of the cooktop.
- Wipe protection function: wipe overboiled liquids without unintentionally changing settings (blocking all touch buttons for 30 seconds).
- Main switch: switch off all cooking zones at the touch of a button.
- Power on indicator light: indicates if the hob is heating.
- Automatic safety switch-off: for safety reasons, heating stops after a preset time without interaction (customisable).
- Energy consumption display: shows the electricity consumption of the last cooking process.

### Installation

- Dimensions of the product (HxWxD mm): 45 x 592 x 522
- Required niche size for installation (HxWxD mm) : 45 x 560 x (490 - 500)
- Min. worktop thickness: 16 mm
- Connected load: 6.6 KW

Dimensioned drawings



- A:** Minimum distance from the hob cut-out to the wall.
- B:** Recessed depth
- C:** With fitted oven underneath min. 20, possibly more; see space requirements for the oven.