


N 70, GAS COOKTOP, 75 CM, STAINLESS STEEL  
T27DA69N0A



Z2480X0      Simmer plate

The gas cooktop with a stainless-steel surface design, slightly raised glass surface and incrementally adjustable FlameSelect

✓ FlameSelect: 9 levels of precisely controlled flame height. Simply note which number you use and the result will be the same everytime.

Product name/family: .....gas hob w  
integrated controls  
Built-in / Free-standing: ..... Built-in  
Energy input: ..... Gas  
Total number of positions that can be used at the same time: 5  
Type of control setting devices: .....Sword knobs  
Required niche size for installation (HxWxD): .....45 x 560-562 x  
480-492 mm  
Width of the appliance: ..... 750 mm  
Dimensions (HxWxD): ..... 53x750x520 mm  
Dimensions of the packed product (HxWxD): . 145 x 793 x 597 mm  
Net weight: ..... 15.5 kg  
Gross weight: ..... 17.0 kg  
Residual heat indicator: ..... separate  
Location of control panel: ..... Front  
Basic surface material: ..... Stainless steel  
Color of surface: .....Stainless steel  
Length electrical supply cord: ..... 100.0 cm  
EAN code: .....4242004218197  
Gas connection rating: ..... 12500 W  
Fuse protection: .....3 A  
Voltage: ..... 220-240 V  
Frequency: ..... 50; 60 Hz



N 70, GAS COOKTOP, 75 CM, STAINLESS STEEL  
T27DA69N0A

**Design**

- Stainless steel

**Comfort & Convenience**

- FlameSelect (9 steps)
- Digital display
- sword knobs
- One-hand ignition
- Enamelled cast iron pan supports on non-scratch rubber feet

**Size & Power**

- 5 Gas burners
- Dual flame wok burner
- 1 High-speed, 2 Standard, 1 Economy, 1 Dual Wok Burner
- Left rear: Standard burner up to 6.85 Mj/h (depending on gas type)
- Left front: Economy burner 4 Mj/h (depending on gas type)
- Center: Wok burner 19.5 Mj/h
- Right rear: High-speed burner up to 11 Mj/h (depending on gas type)
- Right front: Standard burner 6.85 Mj/h (depending on gas type)

**Safety and Environment**

- Flame failure device fitted to each individual burner
- Residual heat indicator for each burner
- Preset to natural gas (20mbar)

**Dimensions (WxD)**

- 75 cm width
- Installation measurements: 560 mm x 480 mm
- Power cord length: 100 cm

**Supplied Accessories**

- Liquid gas nozzles (28-30/37mbar) included

N 70, GAS COOKTOP, 75 CM, STAINLESS STEEL  
T27DA69N0A

