

# N 90, GAS COOKTOP, 90 CM, CERAMIC, BLACK T29TA79N0A



Z2480X0      Simmer plate

The gas cooktop with an extremely heat-resistant ceramic glass surface and incrementally adjustable FlameSelect.

✓ FlameSelect: 9 levels of precisely controlled flame height. Simply note which number you use and the result will be the same everytime.

Product name/family: .....gas hob w integrated controls  
Built-in / Free-standing: ..... Built-in  
Energy input: ..... Gas  
Total number of positions that can be used at the same time: 5  
Type of control setting devices: .....Sword knobs  
Required niche size for installation (HxWxD): ..... 45 x 850-852 x 490-502 mm  
Width of the appliance: .....918 mm  
Dimensions (HxWxD): ..... 59x918x546 mm  
Dimensions of the packed product (HxWxD): ..... 165 x 1110 x 659 mm  
Net weight: ..... 20.6 kg  
Gross weight: ..... 23.0 kg  
Residual heat indicator: ..... separate  
Location of control panel: ..... Front  
Basic surface material: ..... Ceramic  
Color of surface: .....Black, Stainless steel  
Color of frame: .....Black, Stainless steel  
Length electrical supply cord: ..... 100.0 cm  
EAN code: .....4242004218173  
Gas connection rating: ..... 13700 W  
Fuse protection: .....3 A  
Voltage: ..... 220-240 V  
Frequency: ..... 50; 60 Hz



*N 90, GAS COOKTOP, 90 CM, CERAMIC, BLACK  
T29TA79N0A*

**Design**

- Ceramic glass
- brushed steel trim frame
- Design burner - special flat design

**Comfort & Convenience**

- FlameSelect (9 steps)
- Digital display
- Sword control knobs
- One-hand ignition
- Enamelled cast iron pan supports on non-scratch rubber feet

**Size & Power**

- 5 Gas burners
- Dual flame wok burner
- 1 High-speed, 2 Standard, 1 Economy, 1 Dual Wok burner
- Left: Wok burner up to 22 MJ/h (depending on gas type)
- Center rear: Economy burner up to 4.8 MJ/h (depending on gas type)
- Center front: Standard burner up to 8.1 MJ/h (depending on gas type)
- Right rear: High-speed burner up to 11.6 MJ/h (depending on gas type)
- Right front: Standard burner 8.1 MJ/h (depending on gas type)
- Additional tools for LPG conversion required: removal lever (483196) and spanner (269605).

**Safety and Environment**

- Flame failure device fitted to each individual burner
- Residual heat indicator for each burner
- Preset to natural gas (20mbar)

**Dimensions (WxD)**

- 90 cm width
- Installation measurements: 850 mm x 490 mm
- Power cord length: 100 cm

**Supplied Accessories**

- Liquid gas nozzles (28-30/37mbar) included
- 1 x Wok attachment ring, cross support for espresso included.

N 90, GAS COOKTOP, 90 CM, CERAMIC, BLACK  
T29TA79N0A

