

N 90, GAS COOKTOP, 90 CM, CERAMIC, BLACK T29TA79N0A





Z2480X0 Simmer plate

The gas cooktop with an extremely heat-resistant ceramic glass surface and incrementally adjustable FlameSelect.

 $\sqrt{\mbox{ FlameSelect: 9 levels of precisely controlled flame height. Simply note which number you use and the result will be the same everytime.}$

Product name/family:	gas hob w
integrated controls	J
Built-in / Free-standing:	Built-in
Energy input:	Gas
Total number of positions that can be used a	t the same time: 5
Type of control setting devices:	
Required niche size for installation (HxWxD):	45 x 850-852 x
490-502 mm	
Width of the appliance:	
Dimensions (HxWxD):	
Dimensions of the packed product (HxWxD):	165 x 1110 x 659
mm	
Net weight:	~
Gross weight:	9
Residual heat indicator:	
Location of control panel:	
Basic surface material:	
Color of surface:	
Color of frame:	
Length electrical supply cord:	
EAN code:	
Gas connection rating:	
Fuse protection:	
Voltage:	
Frequency:	50; 60 HZ
	4 2 4 2 0 0 4 2 1 8 1 7 3



N 90, GAS COOKTOP, 90 CM, CERAMIC, BLACK T29TA79N0A

Design

- Ceramic glass
- brushed steel trim frame
- Design burner special flat design

Comfort & Convenience

- FlameSelect (9 steps)
- Digital display
- Sword control knobs
- One-hand ignition
- Enamelled cast iron pan supports on non-scratch rubber feet

Size & Power

- 5 Gas burners
- Dual flame wok burner
- 1 High-speed, 2 Standard, 1 Economy, 1 Dual Wok burner
- Left: Wok burner up to 22 Mj/h (depending on gas type)
- Center rear: Economy burner up to 4.8 Mj/h (depending on gas type)
- \bullet Center front: Standard burner up to 8.1 Mj/h (depending on gas type)
- Right rear: High-speed burner up to 11.6 Mj/h (depending on gas type)
- Right front: Standard burner 8.1 Mj/h (depending on gas type)
- Additional tools for LPG conversion required: removal lever (483196) and spanner (269605).

Safety and Environment

- Flame failure device fitted to each individual burner
- Residual heat indicator for each burner
- Preset to natural gas (20mbar)

Dimensions (WxD)

- 90 cm width
- Installation measurements: 850 mm x 490 mm
- Power cord length: 100 cm

Supplied Accessories

- Liquid gas nozzles (28-30/37mbar) included
- 1 x Wok attachment ring, cross support for espresso included.



N 90, GAS COOKTOP, 90 CM, CERAMIC, BLACK T29TA79N0A

