

N 90, BUILT-IN COMPACT OVEN WITH
MICROWAVE FUNCTION, 60 X 45 CM, STAINLESS
STEEL
C17MS22N0



- ✓ CircoTherm® – Smart hot-air solution that lets you bake on up to four levels.
- ✓ Combined microwave and oven - the convenient solution to save space and time
- ✓ Eco Clean with Easy Clean - the duo that makes oven cleaning easier
- ✓ Shift Control - fast navigation through menus and simple operation with the TFT display.
- ✓ Baking and Roasting Assistant with Automatic Programmes - the duo for optimal baking at your command


Type of micro-wave oven:MW-Combi
Type of control: Electronic
Dimensions: 455x596x548 mm
Cavity dimensions: 237 x 480 x 392 mm
Length electrical supply cord: 150.0 cm
Net weight: 35.7 kg
Gross weight: 38.0 kg
EAN code:4242004182184
Maximum micro-wave power: 900 W
Connection Rating: 3600 W
Fuse protection: 16 A
Voltage: 220-240 V
Frequency: 60; 50 Hz
Plug type: Gardy plug w/ earthing
Included accessories: 1 x combination grid, 1 x universal pan




1 x combination grid, 1 x universal pan

Z11AB15A0 Baking tray, non-stick ceramic coated, Z11AU15A0
Universal pan, non-stick ceramic coated, Z11GT10X3 Glass
roasting dish, 5,4l, Z11GU20X0 Glasspan, Z11SZ00X0
SeamlessCombination mounting kit, Z11SZ60X0
SeamlessCombination 45 + 14cm, Z11SZ90X0
SeamlessCombination 60 + 45cm, Z12CB10A0 Baking tray,
enamelled, Z12CM10A0 Moussaka pan, enamelled, Z12CP10A0
Pizza pan, enamelled, Z12CQ10A0 Grill tray, enamelled,
Z12CU10A0 Multipurpose pan, enamelled, Z13CR10X0 Baking and
roasting grid (steam), Z13CV05S0 Cover Strip, Z13CV06S0 Decor
strip, Z14CR10X0 Baking and roasting grid (microwave), Z1913X0
Baking Stone, Z19DD10X0 Steam set for ovens, Z99RX70X0
Connecting cable 3m


N 90, BUILT-IN COMPACT OVEN WITH
MICROWAVE FUNCTION, 60 X 45 CM, STAINLESS
STEEL
C17MS22N0



measurements in mm




measurements in mm



measurements in mm

Installation with a hob.



measurements in mm

If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface Induction hob	52 mm	53 mm
Gas hob	32 mm	43 mm
Electric hob	32 mm	35 mm