

N 30, Canopy cooker hood, 53 cm, Silver metallic
D5625X0GB



COOKING PASSION SINCE 1877



Features

Technical Data

Typology : Traditional
Approval certificates : CE, VDE
Length of electrical supply cord (cm) : 130
Required niche size for installation (HxWxD) : 235mm x 500mm x 260mm
Minimum distance above an electric hob : 650
Minimum distance above a gas hob : 650
Net weight (kg) : 5.256
Type of control : mechanical
Number of speed settings : 2-stage_Intensive
Maximum output air extraction (m³/h) : 170
Boost position output recirculating (m³/h) : 240
Maximum output recirculating air (m³/h) : 160
Boost position air extraction (m³/h) : 250
Number of lights (Stck) : 2
Noise level (dB(A) re 1 pW) : 55
Diameter of air outlet (mm) : 120
Grease filter material : Washable aluminium
EAN code : 4242004073222
Connection rating (W) : 230
Voltage (V) : 220-240
Frequency (Hz) : 50
Plug type : GB plug
Installation type : Built-in



Optional accessories

Z5154X0 Charcoal odour filter

N 30, Canopy cooker hood, 53 cm, Silver metallic
D5625X0GB

Features

Features

Design

- 53 cm wide
- For installation under an overhead canopy kitchen unit
- Switch control operation for extractor speeds and light

Performance/technical information

- Suitable for ducted extraction and recirculation
- Extraction rate according to EN 61591: max. normal use 170 m³/h
Intensive 250 m³/h
- Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air:
Max. normal use: 55 dB(A) re 1 pW (41 dB(A) re 20 µPa sound pressure)
Intensive: 65 dB(A) re 1 pW (51 dB(A) re 20 µPa sound pressure)
- 2 speeds plus intensive
- 2 x 30W halogen lights
- Energy Efficiency Class: E (at a range of energy efficiency classes from A+++ to D)
- Average Energy Consumption: 129.2 kWh/year*
- Blower Efficiency Class: F*
- Lighting Efficiency Class: G*
- Grease Filtering Efficiency Class: F*
- Noise max. Normal Level: 55 dB*
- Light Intensity: 196 lux
- Colour Temperature: 2700 K

* In accordance with the EU-Regulation No 65/2014

N 30, Canopy cooker hood, 53 cm, Silver metallic
D5625X0GB

Dimensioned drawings

