N 50, Built-under freezer, 82 x 59.8 cm G4344X7GB







The built-in freezer with temperature rise alarm and superfreeze function.

 $\sqrt{}$ Super Freeze – Lowers the temperature temporarily to prevent frozen goods from warming up as new items are added.

Features

Technical Data

Thermometer freeze section: Analog

Light : No

Product category : Upright freezer Construction type : Built-in

Door panel options : Possible but accessory

Frost free system : No

Height of the product (mm): 820 Width of the appliance: 598 Depth of the product: 548

Dimensions of the packed product (HxWxD) (mm) : $890 \times 620 \times 670$

Net weight (kg): 36.232 Gross weight (kg): 38.4 Connection rating (W): 90

Current (A): 13 Frequency (Hz): 50

Approval certificates : CE, VDE

Length of electrical supply cord (cm): 230

Door hinge: Right reversible

Storage Period in Event of Power Failure (h) : 23

Defrost process : manual

Warning signal / malfunction : visual and audible

Lockable door : No

Number of drawers/baskets (Stck): 3 Number of freezing flaps (Stck): 0 EAN code: 4242004147381

Brand: Neff

Product name / Commercial code : G4344X7GB

Product category : Upright freezer Energy efficiency rating : A+

Energy consumption annual (kWh/annum) - NEW (2010/30/EC):

184.00

Freezer Net capacity (I) - NEW (2010/30/EC) : 98 Freezing capacity (kg/24h) - NEW (2010/30/EC) : 12

Climate class: SN-ST

Noise level (dB(A) re 1 pW) : 38 Installation type : Built-under





Features

Performance

- Energy Efficiency Class: A+ kWh/yr: 184
- Total net capacity: 98 l litres
- Freezing capacity in 24 hours: 12 kg
- Maximum freezer storage time in power failure: 23 hours
- Noise level dB(A) re 1 pW: 38

Design features

- Manual defrost freezer
- Removable magnetic door seals easy to clean
- 4 star freezer rating
- 3 freezer drawers
- Right hinged door, reversible
- Fixed hinge
- Mechanical control
- Dimensions: 82 cm H x 59.8 cm W x 54.8 cm D
- Niche Dimensions: 82 cm H x 60 cm W x 55 cm D

Functions

- SuperFreeze function with automatic deactivation
- Freezer malfunction warning signal: optical, acoustical
- Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C)
- Temperature indicator on inside of door
- Height adjustable feet in the front
- Ventilation through plinth



Dimensioned drawings	