N 90, Built-in fridge, 177.5 x 56 cm K8315X0



















Technical Data

Construction type : Built-in Door panel options : Not possible

Height (mm): 1772

Width of the product (mm): 556 Depth of the product : 545

Required niche size for installation (HxWxD) : $1775.0 \times 560 \times 550$

Net weight (kg): 81.637 Connection rating (W): 120

Current (A): 10

Door hinge : Right reversible Voltage (V): 220-240 Frequency (Hz): 50

Approval certificates : CE, VDE

Length of electrical supply cord (cm) : 230

Number of compressors: 1

 $\label{eq:number of independent cooling systems: 2} \\$

Interior ventilator : No Reversible Door Hinge: Yes

Number of Adjustable Shelves in fridge compartment (Stck): 3

Shelves for Bottles: Yes EAN code: 4242004124733

Brand: Neff

Product name / Commercial code : K8315X0

Product category: Refrigerator

Energy efficiency class (2010/30/EC) : A++

Energy consumption annual (kWh/annum) - NEW (2010/30/EC) :

Refrigerator Net capacity (I) - NEW (2010/30/EC) : 302 Freezer Net capacity (I) - NEW (2010/30/EC) : 0

Frost free system : No

Freezing capacity (kg/24h) - NEW (2010/30/EC) : 0

Noise level (dB(A) re 1 pW): 39

Climate class: SN-T

Installation type: Full-integrated



N 90, Built-in fridge, 177.5 x 56 cm K8315X0

Features

Performance and Consumption

- Energy efficiency class: A++
- Annual energy consumption 133 kwh (per year).

Performance and Consumption

- Total net capacity: 302 litres
- Net fridge capacity: 302 litres
- Net freezer capacity: 0 litres
- Noise level dB(A) re 1 pW: 39

Design features

- Fixed hinge, SoftClose door dampens door movement, for smooth and effortless closure
- Right hinged door, reversible
- Electronic control (LED chain)
- Removable magnetic door seals easy to clean

Food freshness system

- Electronic control (LED chain)
- Two separate cooling circuits allow independent temperature control and prevents the transference of humidity between the fridge and freezer cavity

Key features - Fridge section

- Automatic defrost fridge
- Bright interior LED fridge light
- 4 safety glass shelves in fridge compartment of which 3 are height adjustable
- 1 0°C VitaFresh container "moist" (about 95% humidity) with rippled base for improved air circulation
- \bullet SuperCool function with automatic deactivation
- Bottle rack


Functions

• acoustical door open warning signal

Dimension and installation

- Connection value 120 W
- Dimensions: 177.2 cm H x 55.6 cm W x 54.5 cm D
- Niche Dimensions: 177.5 cm H x 56 cm W x 55 cm D
- Climate class SN-T (suitable for ambient temperatures between 10 to 43°C)

Dimensioned drawings



Electrical connection above or to the side of the appliance

Double-floor installation and intermediate floor installation also possible

Measurements in mm