N 50, Built-in fridge, 88 x 56 cm KI1212F30G



COOKING PASSION SINCE 1877













Ontinnal accessories

Z10020 Bottle Rack

This built-in refrigerator keeps food at its freshest

- $\sqrt{\mbox{ Fresh Safe}}$ Fridge drawer for flexible storage of your fresh fruit and vegetables.
- $\sqrt{\,}$ Adjustable Glass Shelves Height adjustable shelves create the space you need for inspiring dishes in your fridge
- $\sqrt{\,}$ Our safety glass shelves happily shoulder generous loads of delicacies in your fridge
- $\sqrt{\ }$ LED Light Illuminate your fridge with long-life LEDs.
- $\sqrt{}$ SuperCooling: Briefly reduces the temperature to +2°C ideal for quickly chilling items as you put them in the refrigerator.

Features

Technical Data

Construction type : Built-in

Door panel options : Possible but accessory

Height: 874 mm

Width of the appliance : 541 mm Depth of the product : 545 mm

Required niche size for installation (HxWxD) : $880 \times 560 \times 550 \,$ mm

Net weight: 37.293 kg Connection rating: 90 W Fuse protection: 10 A Door hinge: Right reversible Voltage: 220-240 V Frequency: 50 Hz

Approval certificates : CE, VDE

Length of electrical supply cord: 230 cm

Number of compressors: 1

Number of independent cooling systems : 1

Interior ventilator : No Reversible Door Hinge : Yes

Number of Adjustable Shelves in fridge compartment (Stck): 3

Shelves for Bottles : No EAN code : 4242004196518

Brand: Neff

Product name / Commercial code : KI1212F30G

Product category: Refrigerator

Energy consumption annual - NEW (2010/30/EC): 97.00 kWh/

annum

Refrigerator Net capacity - NEW (2010/30/EC) : 144 I Freezer Net capacity - NEW (2010/30/EC) : 0 I

Frost free system : No

Freezing capacity) - NEW (2010/30/EC) : 0 kg/24h

Noise level : 36 dB(A) re 1 pW Climate class : SN-T

Installation type: Full-integrated





Features

Performance and Consumption

- Energy Efficiency Class: A++
- Total net capacity: 144 l litres
- Net fridge capacity: 144 litres
- Noise level dB(A) re 1 pW: 36

Design features

• Right hinged door, reversible

Food freshness system

- FreshSense constant temperature by intelligent sensor technology Constant temperature control by intelligent sensor technology
- Single cooling circuit

Key features - Fridge section

- 1 FreshSafe drawer- The ideal place to store your fruit and vegetables safely.
- Electronic control (LED chain)
- Bright interior LED fridge light
- Super Cooling: automatic deactivation
- 4 safety glass shelves (3 height adjustable)
- 2 x egg tray

Dimension and installation

- Easy Installation
- Connection value 90 W
- Dimensions: 87.4 cm H x 54.1 cm W x 54.5 cm D
- Niche Dimensions: 88 cm H x 56 cm W x 55 cm D
- \bullet Climate class SN-T (suitable for ambient temperatures between 10 to 43°C)
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- Touchcontrol- Electronic Electronic control (LED chain)


Included accessories

• KF1213S0, KF1213Z0, Z10020



Dimensioned drawings

measurements in mm Recommended gap dimensions for flat hinges



| F | R | X |
|-------|-----|-----|
| 16-19 | 0-3 | 2.5 |
| 20 | 0-1 | 3 |
| | 2-3 | 2.5 |
| 21 | 0-1 | 3 |
| | 2-3 | 2.5 |
| 22 | 0 | 4 |
| | 1 | 3.5 |
| | 2-3 | 3 |

The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.