


N 70, Built-in fridge, 88 x 56 cm, soft close flat hinge
KI1213DD0



COOKING PASSION SINCE 1877



This built-in refrigerator keeps fruit and vegetables fresher for longer.

- ✓ Fresh Safe 2 <0°C> – Ideal storage for fruit and vegetables, fish and meat.
- ✓ Easy Access Shelf – Slides out to give you better access to fridge contents.
- ✓ Adjustable Glass Shelves – Height adjustable shelves create the space you need for inspiring dishes in your fridge
- ✓ Our safety glass shelves happily shoulder generous loads of delicacies in your fridge
- ✓ LED Light – Illuminate your fridge with long-life LEDs.

Features

Technical Data

Energy Efficiency Class : D
Average annual energy consumption in kilowatt hour per year (kWh/a) : 75 kWh/annum
Sum of volume of frozen compartments : 0 l
Sum of volume of chill compartments : 144 l
Airborne acoustical noise emissions : 33 dB(A) re 1 pW
Airborne acoustical noise emission class : B
Construction type : Built-in
Door panel options : Possible but accessory
Height : 874 mm
Width of the appliance : 558 mm
Depth of the product : 545 mm
Required niche size for installation (HxWxD) : 880 x 560 x 550 mm
Net weight : 35.0 kg
Connection rating : 90 W
Fuse protection : 10 A
Door hinge : Right reversible
Voltage : 220-240 V
Frequency : 50 Hz
Approval certificates : CE, VDE
Length of electrical supply cord : 230 cm
Number of compressors : 1
Number of independent cooling systems : 1
Interior ventilator : No
Reversible Door Hinge : Yes
Number of Adjustable Shelves in fridge compartment (Stck) : 2
Shelves for Bottles : No
EAN code : 4242004243250
Brand : Neff
Product name / Commercial code : KI1213DD0
Product category : Refrigerator
Frost free system : No
Installation type : Full-integrated

Optional accessories

Z10020 Bottle Rack



4 242004 243250

N 70, Built-in fridge, 88 x 56 cm, soft close flat hinge
KI1213DD0



COOKING PASSION SINCE 1877

Features

Functions

- Bright interior LED fridge light

Design features

- Touchcontrol- Electronic - LED Electronic control
- FreshSense - constant temperature by intelligent sensor technology - Constant temperature control by intelligent sensor technology
- Automatic defrost fridge
- Super Cooling: automatic deactivation
- Acoustic door open warning indicator

Design features

- 4 safety glass shelves (2 height adjustable)
- 3 door trays, including 1x dairy compartment

Freshness System

- 1 FreshSafe 2 drawer; High humidity retains nutrients up to twice as long

Dimension and installation

- Dimensions: 87.4 cm H x 55.8 cm W x 54.5 cm D
- Niche Dimensions: 88 cm H x 56 cm W x 55 cm D

Key features - Fridge section

- Right hinged door, reversible
- Connection value 90 W
- 220 - 240 V

Key features - Freezer section

- 2 x egg tray
- bottle holder in door tray

Included accessories

- KF1213S0, KF1213Z0, KS9E0FZ0, Z10020

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

Design features

Dimension and installation


Additional features

Performance and Consumption


- EU19_EEK_D: D
- Total Volume : 144 l
- Annual Energy Consumption: 75 kWh/a
- Climate Class: SN-ST
- Noise Level : 33 dB , EU19_Noise emission class_D: B

N 70, Built-in fridge, 88 x 56 cm, soft close flat hinge
KI1213DD0

Dimensioned drawings




measurements in mm
Recommended gap dimensions for flat hinges



	F	R	X
16-19	0-3	2.5	
20	0-1	3	
	2-3	2.5	
21	0-1	3	
	2-3	2.5	
22	0	4	
	1	3.5	
	2-3	3	

The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.



Maximal permissible weight of the unit fronts

Fitted unit fronts that exceed the permissible weight may cause damage and result in functional impairment of the hinges.

Δ Weight

A: Appliance door height including hinges in mm

B: Undamped hinge, unit front in kg

C: Damped hinge, unit front in kg

	A	B	C
1500-1750	22	22	
720-1400	19	19	
A1	15	19	
A2	15	19	

