

N 70, BUILT-IN FRIDGE, 177.5 X 56 CM, SOFT CLOSE  
FLAT HINGE  
K118160EO



Included accessories

1 x Heavy-duty hinge support

Optional accessories

KS1860Z0 Wire Shelf  
KSGG0MZ0 Butter box  
Z10020 Bottle Rack

This built-in refrigerator keeps food at its freshest thanks to the Fresh Safe system, ideal air circulation Eco Air Flow and flexible storage options.

- ✓ Fresh Safe 2 – Ideal storage for fruit and veg.
- ✓ Bottle Flex Shelf – A bottle holder and shelf in one.
- ✓ Soft Close – Enjoy the silence. The door softly closes itself when at an angle of 20 degrees.
- ✓ Adjustable Glass Shelves – Height adjustable shelves create the space you need for inspiring dishes in your fridge
- ✓ Easy Access Shelf – Slides out for easier access to items in your fridge.

Features

Technical Data

Energy Efficiency Class: .....E  
 Average annual energy consumption in kilowatt hour per year (kWh/a): ..... 115 kWh/a  
 Sum of volume of frozen compartments: ..... 0 l  
 Sum of volume of chill compartments: ..... 319 l  
 Airborne acoustical noise emissions : ..... 37 dB(A) re 1 pW  
 Airborne acoustical noise emission class: ..... C  
 Built-in / Free-standing: ..... Built-in  
 Door panel options: ..... Not possible  
 Height: ..... 1772 mm  
 Width of the appliance: ..... 558 mm  
 Depth: ..... 545 mm  
 Min. required niche size for installation (HxWxD): .. 1775.0 x 560 x 550 mm  
 Net weight: ..... 64.2 kg  
 Connection Rating: ..... 90 W  
 Fuse protection: ..... 10 A  
 Door hinge: ..... Right reversible  
 Voltage: ..... 220-240 V  
 Frequency: ..... 50 Hz  
 Length electrical supply cord: ..... 230.0 cm  
 Number of compressors: ..... 1  
 Number of independent cooling systems: ..... 1  
 Interior ventilator: ..... Yes  
 Reversible Door Hinge: ..... Yes  
 Number of Adjustable Shelves in fridge compartment: ..... 6  
 Shelves for Bottles: ..... No  
 EAN code: ..... 4242004267720  
 Brand: ..... Neff  
 Product name / Commercial code: ..... K118160EO  
 Product category: ..... Refrigerator  
 Frost free system: ..... No  
 Installation typology: ..... Full-integrated  
 Included accessories: ..... 1 x Heavy-duty hinge support



*N 70, BUILT-IN FRIDGE, 177.5 X 56 CM, SOFT CLOSE  
FLAT HINGE  
K118160EO*

**Features**

- Built-in fridge
- easy Installation

**Performance and Consumption**

- EU19\_EEK\_D: E
- Total Volume : 319 l
- Net Fridge Volume : 319 l
- Net Freezer Volume : 0 l
- Annual Energy Consumption: 115 kWh/a
- Climate Class: SN-ST
- EU19\_Fast freezer facility\_D
- Noise Level : 37 dB , EU19\_Noise emission class\_D: C

**Functions**

- Easy clean interior
- LED with Soft Start in fridge section

**Design features**

- Single cooling circuit
- LED Electronic control

**Design features**

- 6 safety glass shelves in fridge compartment of which 6 are height adjustable
- 10 door bins
- Door shelves in fridge door: 2 large and 0 small.
- 2 removable door storage compartments.

**Freshness System**

- 1 FreshSafe 2 drawer on telescopic rails; High humidity retains nutrients up to twice as long.
- 1 FreshSafe drawer on rails - The ideal place to store your fruit and vegetables safely.

**Dimension and installation**

- Dimensions: 177.2 cm H x 55.8 cm W x 54.5 cm D
- Niche Dimensions: 177.5 cm H x 56 cm W x 55 cm D

**Key features - Fridge section**

- Connection value 90 W
- 220 - 240 V

**Key features - Freezer section**

- Heavy-duty hinge support

**Country Specific Options**

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

**Design features**


**Dimension and installation**

**Additional features**

- Super Cooling: automatic deactivation
- Length of power cord: 230 cm
- Fully integrated
- Fixed hinge, SoftClose door - dampens door movement, for smooth and effortless closure


N 70, BUILT-IN FRIDGE, 177.5 X 56 CM, SOFT CLOSE  
FLAT HINGE  
K18160EO

Dimensioned drawings




Air outlet  
min. 200 cm<sup>2</sup>

Ventilation  
space  
in the base  
min. 200 cm<sup>2</sup>




Maximal permissible



Fitted kitchen unit of  
weight may cause  
impairment of the h

T: Includes height  
of appliance door  
Hinges in mm:  
1500-1750

measurements in  
Recommended c



The gap dimensi  
in the table must  
to ensure that ap  
collide with anyth  
and to avoid cau