N 50, Built-in fridge-freezer with freezer at bottom, 177.2 x 54.1 cm, sliding hinge KI5862SF0G














Optional accessories

Z10020

Bottle Rack



- $\sqrt{\mbox{ Fresh Safe}}$ Fridge drawer for flexible storage of your fresh fruit and vegetables.
- $\sqrt{\ }$ LowFrost: Reduces frost in the freezer compartment for faster defrosting.
- $\sqrt{\,}$ Adjustable Glass Shelves Height adjustable shelves create the space you need for inspiring dishes in your fridge
- $\sqrt{\,}$ Our safety glass shelves happily shoulder generous loads of delicacies in your fridge
- $\sqrt{\,}$ Individualize your drawers with various loading options to create the optimal fit for frozen goodies

Feature

Technical Data

Energy Efficiency Class: F

Average annual energy consumption in kilowatt hour per year (kWh/

a): 279 kWh/annum

Sum of volume of frozen compartments : 76 $\,$ I Sum of volume of chill compartments : 192 $\,$ I

Airborne acoustical noise emissions : 38 dB(A) re 1 pW

Airborne acoustical noise emission class : C

Construction type: Built-in Door panel options: Not possible Width of the appliance: 541 mm Depth of the product: 545 mm

Required niche size for installation (HxWxD) : $1775.0 \times 560 \times 550$

mm

Net weight: 59.7 kg Connection rating: 90 W Fuse protection: 13 A Door hinge: Right reversible Voltage: 220-240 V Frequency: 50 Hz

Approval certificates : CE, VDE

Length of electrical supply cord : 230 cm Storage Period in Event of Power Failure (h) : 9 h

Number of compressors : 1

Number of independent cooling systems : ${\bf 1}$

Interior ventilator : No Reversible Door Hinge : Yes

Number of Adjustable Shelves in fridge compartment (Stck) : $\bf 3$

Shelves for Bottles : No Frost free system : No

Installation type : Full-integrated Type of hinge : Follow-door





N 50, Built-in fridge-freezer with freezer at bottom, 177.2 x 54.1 cm, sliding hinge KI5862SF0G

Features

Functions

• Bright interior LED fridge light

Design features

- Electronic control (LED chain)
- FreshSense constant temperature by intelligent sensor technology Constant temperature control by intelligent sensor technology
- SuperFreeze function with automatic deactivation
- Single cooling circuit

Design features

Key features - Fridge section

- 4 safety glass shelves in fridge compartment of which 3 are height adjustable
- 4 door bins

Food freshness system

• 1 FreshSafe drawer- The ideal place to store your fruit and vegetables safely.

$\label{eq:Key Freezer Section} \text{Key features - Freezer section}$

- lowFrost freezer less ice build up, faster defrosting
- Removeable safety glass shelves in freezer
- 3 transparent freezer drawers, 1 bigbox
- Right hinged door, reversible
- Connection value 90 W
- 220 240 V
- 2 x egg tray, 1 x ice cube tray
- bottle holder in door tray
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

Dimension and installation

- Dimensions: 177.2 cm H x 54.1 cm W x 54.5 cm D
- Niche Dimensions: 177.5 cm H x 56 cm W x 55 cm D

Design features

Dimension and installation

Additional features

Performance and Consumption

• EU19_EEK_D: F

• Total Volume : 268 l

• Net Fridge Volume : 192 l

• Net Freezer Volume: 76 l

• Net 4* compartment volume : 76 l

• Freezing capacity 24h: 4 kg

• Annual Energy Consumption: 279 kWh/a

• Climate Class: SN-ST

• Noise Level: 38 dB, EU19_Noise emission class_D: C

• Temperature rise time : EU19_Temperature rise time_D: 9 H



N 50, Built-in fridge-freezer with freezer at bottom, 177.2 x 54.1 cm, sliding hinge KI5862SF0G

