N 90, Built-in fridge-freezer with freezer at bottom, 177.2 x 55.8 cm KI8865D30
















- $\sqrt{\mbox{ Fresh Safe 3 Plus 0^{\circ}C}}$ Climate-controlled drawers for optimal storage of all your fresh foods.
- $\sqrt{\ }$ No Frost No more defrosting your freezer.
- $\sqrt{\,}$ Adjustable Glass Shelves Height adjustable shelves create the space you need for inspiring dishes in your fridge
- $\sqrt{\,}$ Our safety glass shelves happily shoulder generous loads of delicacies in your fridge
- $\sqrt{\,}$ Individualize your drawers with various loading options to create the optimal fit for frozen goodies

Features

Technical Data

Construction type : Built-in Door panel options : Not possible Width of the appliance : 558 mm Depth of the product : 545 mm

Required niche size for installation (HxWxD) : $1775.0 \times 560 \times 550$

mm

Net weight: 70.787 kg Connection rating: 90 W Fuse protection: 10 A Door hinge: Right reversible Voltage: 220-240 V Frequency: 50 Hz Approval certificates: CE

Length of electrical supply cord : 230 cm Storage Period in Event of Power Failure (h) : 13 h

Number of compressors : 1

Number of independent cooling systems : 2

Interior ventilator : No Reversible Door Hinge : Yes

Number of Adjustable Shelves in fridge compartment (Stck): 2

Shelves for Bottles : Yes EAN code : 4242004235163

Brand : Neff

Product name / Commercial code : KI8865D30

Energy consumption annual - NEW (2010/30/EC) : 232.00 kWh/

annum

Refrigerator Net capacity - NEW (2010/30/EC) : 156 $\,$ I Freezer Net capacity - NEW (2010/30/EC) : 67 $\,$ I

Frost free system : Freezer

Freezing capacity) - NEW (2010/30/EC) : 13 kg/24h

Climate class : SN-ST Noise level : 36 dB(A) re 1 pW Installation type : Full-integrated





N 90, Built-in fridge-freezer with freezer at bottom, 177.2 x 55.8 cm KI8865D30

COOKING PASSION SINCE 1877

Features

Performance and Consumption

- Energy Efficiency Class: A++
- Energy Efficiency Class: A++ kWh/yr: 0.635 kWh
- Total net capacity: 223 I litres
- Net fridge capacity: 156 litres
- Net freezer capacity: 67 litres
- Noise level dB(A) re 1 pW: 36
- Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C)

Design features

- Home Connect: Remote Monitoring and Control
- Electronic controls for fridge and freezer
- Automatic defrost freezer
- Right hinged door, reversible
- Removable magnetic door seals easy to clean

Food freshness system

- FreshSense constant temperature by intelligent sensor technology - Constant temperature control by intelligent sensor technology
- Two separate cooling circuits allow independent temperature control and prevents the transference of humidity between the fridge and freezer cavity

Key features - Fridge section

- 2 door bins
- Automatic defrost fridge
- LED with Soft Start
- 2 safety glass shelves in fridge compartment of which 2 are height adjustable
- 1 FreshSafe 3 0°C drawer with humidity control for optimal freshness; food stays fresh for longer due to two climate zones.
- Super Cooling: automatic deactivation

Key features - Freezer section

- Calendar frozen food
- Freezing capacity in 24 hours: 13 kg
- Maximum freezer storage time in power failure: 13 hours
- Removeable safety glass shelves in freezer
- 3 transparent freezer drawers, 1 bigbox
- **** freezer (-18°C and below)
- 4 star freezer ratingBottle rack
- 3 freezer drawers

Functions

- Freezer malfunction warning signal: optical and acoustical
- SuperFreeze function with automatic deactivation
- Acoustic door open warning indicator

Dimension and installation


- Connection value 90 W
- Dimensions: 177.2 cm H x 55.8 cm W x 54.5 cm D
- Niche Dimensions: 177.5 cm H x 56 cm W x 55 cm D
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.





N 90, Built-in fridge-freezer with freezer at bottom, 177.2 x 55.8 cm KI8865D30



Dimensioned drawings









16-19	0-3	2.5
20	0-1	3
	2-3	2.5
21	0-1	3
	2-3	2.5
22	0	4
	1	3.5
	2-3	3

The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.





The specified unit door dimensions are valid for a door gap of 4 mm.

measurements in mm