

NEFF vacuum drawer – the flexible vacuum sealer adds a whole new layer of flavours and opportunities to your kitchen equipment



Technical Data

Net weight (kg): 34.655 Gross weight (kg): 37.2

: MCSA01787170_G7478_N17XH10N0_1218331_def EAN code : 4242004218425

Dimensions of the packed product (HxWxD) (mm) : 240 x 660 x 660



Optional accessories

Z13CX62X0 Vacuum bags 180 x 280 mm, 100 pcs. Z13CX64X0 Vacuum bags 240 x 350 mm, 100 pcs.



Features

Design

- Touch Control illuminated
- Touch key operation
- Automatic connection recognition for vacuuming outside the chamber
- Push-Pull opening mechanism

Programmes/functions

- 3 vacuuming levels for vacuuming in the chamber, max. 99%
- 3 vacuuming levels for vacuuming outside the chamber, max. 90%
- Drying program for vacuuming pump

Technical information

- Power cord length 150 cm Cable length
- Cavity Volume: 8 l
- Total connected load electric: 0.32 KW
- Nominal voltage: 220 240 V
- Appliance dimension (hxwxd): 140 mm x 595 mm x 542 mm
- Niche dimension (hxwxd): 141 mm x 560 mm 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual



140 130 7.5 532 Compact ovens with an appliance height of 455 mm can be installed above a warming drawer. An intermediate floor is not required. measurements in mm 590+5 560+8 140 542 measurements in mm