

N 70, WARMING DRAWER, ONLY FOR SEAMLESS
COMBINATION WITH COFFEE MACHINE, 60 X 14
CM, FLEX DESIGN
N29HA11Y2



Preheat plates and cups, so that dishes stay hot longer. Keep warm, for keeping cooked dishes warm.

- ✓ Slow Cook Programme: for delicious and tender meat, poultry and vegetables packed with vitamins.
- ✓ Plate Warmer: keep food at the perfect temperature, from kitchen to table.
- ✓ Cup Warmer: prepare your cups for coffee and tea!
- ✓ Installation with compact appliance – combine your drawer with any 45 cm appliance

Optional accessories

Z1365WX0	Wireless food thermometer
ZC060AY0	SC FlexDesign AG 60 WD14 + Coffee
ZC060BY0	SC FlexDesign BB 60 WD14 + Coffee
ZC060DY0	SC FlexDesign DB 60 WD14 + Coffee
ZC060MY0	SC FlexDesign MS 60 WD14 + Coffee
ZC060TY0	SC FlexDesign technical KVA Coffee + WD

installation accessories

ZC060AY0	SC FlexDesign AG 60 WD14 + Coffee
ZC060BY0	SC FlexDesign BB 60 WD14 + Coffee
ZC060DY0	SC FlexDesign DB 60 WD14 + Coffee
ZC060MY0	SC FlexDesign MS 60 WD14 + Coffee
ZC060TY0	SC FlexDesign technical KVA Coffee + WD

Features

Technical Data

Built-in / Free-standing:	Built-in
Maximum number of espresso cups:	64
Dimensions:	140x596x518 mm
Dimensions of the packed product (HxWxD):	250x660x700 mm
Required niche size for installation (HxWxD): .	140 x 560 x 550 mm
EAN code:	4242004270836
Fuse protection:	10 A
Voltage:	220-240 V
Frequency:	50; 60 Hz
Plug type:	Gardy plug w/ earthing



N 70, WARMING DRAWER, ONLY FOR SEAMLESS
COMBINATION WITH COFFEE MACHINE, 60 X 14
CM, FLEX DESIGN
N29HA11Y2

Features

- Multifunctional warming drawer with the heating functions: Low temperature cooking, Keep warm, plate warming, cup warming

Design

- Flex Design
- Touch key operation
- Easy to clean toughened glass heating plate

Programmes/functions

- User-friendly electronics: extremely
- easy and comfortable operation
- Cavity volume: 20 l
- Loading up to 25 kg
- Can accommodate up to:
 - -12 plates
 - -64 espresso cups
- Temperature control in 4 levels: ca. 30°C - 80°C (glass surface temperature)
- Push-Pull opening mechanism
- Favourites button - manage via Home Connect app

Technical information

- Total connected load electric: 0.82 KW
- Nominal voltage: 220 - 240 V


Performance/technical information

- Appliance dimension (hxwx): 140 mm x 596 mm x 518 mm
- Niche dimension (hxwx): 140 mm x 560 mm - 568 mm x 550 mm
- In case of installation under the worktop, installation accessory spare part no. 9001698838 is needed.
- "For-details-on-installation-and-ventilation requirements – please refer to the installation manual prior to fitting."

N 70, WARMING DRAWER, ONLY FOR SEAMLESS
COMBINATION WITH COFFEE MACHINE, 60 X 14
CM, FLEX DESIGN
N29HA11Y2

Dimensioned drawings

Measurements in mm



A: 7.5 mm

Measurements in mm

