


N 50, FULLY-INTEGRATED DISHWASHER, 60 CM,,  
VARIABLE HINGE  
S295HCX26G



The Vario Hinge dishwasher with Flex Cutlery Drawer that's flexible to load and indicates when it's running, fits even for special built-in situations.

- ✓ Home Connect – Add your dishwasher to your home network and enjoy the infinite possibilities of connected services
- ✓ Vario Hinge – Install your dishwasher almost anywhere.
- ✓ Flex 2 Baskets – Flexible baskets, Rack Matic and Flex Cutlery Drawer offers easy loading solutions
- ✓ Gap Illumination – Tells you when a dishwasher cycle is running.
- ✓ Door Open Assist – Just push the door gently to open.

Energy Efficiency Class: ..... D  
 Energy Consumption for 100 cycles Eco Programme: ..... 85 kWh  
 Maximum number of place settings: ..... 14  
 The water consumption of the eco programme in liters per cycle: 9,5 l  
 Programme duration: ..... 4:55 h  
 Airborne acoustical noise emissions : ..... 46 dB(A) re 1pW  
 Airborne acoustical noise emission class: ..... C  
 Built-in / Free-standing: ..... Built-in  
 Height of removable worktop: ..... 0 mm  
 Dimensions of the product (HxWxD): ..... 865 x 598 x 550 mm  
 Min. required niche size for installation (HxWxD): 865-925 x 600 x 550 mm  
 Depth with open door 90 degree: ..... 1200 mm  
 Adjustable feet: ..... Yes - all from front  
 Maximum adjustability feet: ..... 60 mm  
 Adjustable plinth: ..... Both horizontal and vertical  
 Net weight: ..... 38.6 kg  
 Gross weight: ..... 40.5 kg  
 Connection Rating: ..... 2400 W  
 Fuse protection: ..... 10 A  
 Voltage: ..... 220-240 V  
 Frequency: ..... 50; 60 Hz  
 Length electrical supply cord: ..... 175.0 cm  
 Plug type: ..... GB plug  
 Length inlet hose: ..... 165 cm  
 Length outlet hose: ..... 190 cm  
 EAN code: ..... 4242004257318  
 Installation typology: ..... Full-integrated



|          |                                          |
|----------|------------------------------------------|
| Z7710X0  | inlet and outlet hose extention          |
| Z780BI11 | decorative strips stainless steel 86,5cm |
| Z7861X3  | Panel strips high-install high 86,5cm    |
| Z7863X0  | Cutlery basket                           |
| Z7863X1  | Rack insert for stemware dishwasher      |
| Z7870X0  | Accessories dishwasher                   |
| Z7871X0  | Silver polishing cassette                |
| Z788BI00 | Connection rail for divided furniture    |

N 50, FULLY-INTEGRATED DISHWASHER, 60 CM,,  
VARIABLE HINGE  
S295HCX26G

- VarioHinge 50mm

**New for 2021**

**Performance**

- Energy Efficiency Class<sup>1</sup>: D
- Energy<sup>2</sup> / Water<sup>3</sup>: 85 kWh / 9.5 litres
- Capacity: 14 place settings
- Programme duration<sup>4</sup>: 4:55 (h:min)
- Noise level: 46 dB(A) re 1 pW
- Noise Efficiency Class: C

**Programmes / functions**

- 6 programmes: Eco 50 °C, Auto 45-65 °C, Chef 70 °C, Classic 60 °C, Glass 40 °C, Favourite
- Default favourite programme: Pre-Rinse
- 4 special options: Remote Start, Extra Dry, Power Zone, Extra Speed
- Easy Clean Programme
- Silence on Demand (via app)

**Flexible design elements**

- Flex 2 baskets with coloured TouchPoints
- Flex 2 Drawer
- 3 stage Rackmatic height-adjustable top basket
- Ball bearing wheels on upper basket
- Low friction wheels on bottom basket
- Anti-slip protection strips in upper basket
- Rack Stopper to prevent derailing of bottom basket
- 6 foldable plate racks in top basket
- 6 foldable plate racks in bottom basket
- Upper rack cup shelf
- Lower rack cup shelf
- Glass rack in bottom basket

**Innovations and technology**

- Home Connect - Wi Fi enabled, for dishwasher control
- Heat exchanger.
- Efficient SilentDrive BLDC motor
- DosageAssist detergent dispenser
- DetergentAware
- AquaSensor®
- Neff Sparkle - glass care system

**Design features**

- Push button top controls
- Gap Illumination - indicates cycle is running
- doorOpen Assist - Simple to use, designed for handleless kitchens
- Acoustic end of cycle indicator, remaining programme time indicator on top edge, water fault indicator
- Time delay (3, 6 or 24 hours)
- Childlock - when activated double push to open
- Aqua Stop: Neff's warranty in case of water damage – throughout the lifetime of the appliance.\*

- Self-cleaning filter system with 3 piece corrugated filter
- Large item spray head, steam protection plate
- Stainless steel interior
- Dimensions (HxWxD): 86.5 x 59.8 x 55cm

<sup>1</sup> Scale of Energy Efficiency Classes from A to G


<sup>2</sup> Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)

<sup>3</sup> Water consumption in litres per cycle (in programme Eco 50 °C)


<sup>4</sup> Duration of programme Eco 50 °C

N 50, FULLY-INTEGRATED DISHWASHER, 60 CM,,  
VARIABLE HINGE  
S295HCX26G

measurements in mm



socket  
( ) values with extension kit



measurements in mm