



COOKING PASSION SINCE 1877









Ontional accessories

Z7861X1 decorative strips 81cm st.steel Z7871X0 Silver polishing cassette

- $\sqrt{\mbox{ Flex 1}}$ rack with foldable elements in the top and bottom racks for practical loading
- $\sqrt{}$ Chef 70° the pro programme for getting stubborn dirt off pots and casserole dishes
- $\sqrt{}$ AquaStop for a lifetime guarantee against water damage

Features

Technical Data

Energy Efficiency Class : F

Energy Consumption for 100 cycles Eco Programme: 102 kWh

Maximum number of place settings: 12

The water consumption of the eco programme in liters per cycle: 9.5

- 1

Programme duration: 3:30 h

Airborne acoustical noise emissions : 46 dB(A) re 1 pW

Airborne acoustical noise emission class : C

Construction type : Built-in

Height of removable worktop: 0 mm

Dimensions of the product (HxWxD) : $815 \times 598 \times 573~$ mm Required niche size for installation (HxWxD) : $815-875 \times 600 \times 550$

mm

Approval certificates : CE, VDE

Depth with open door 90 degree : 1150 mm Adjustable feet : Yes - all from front Maximum adjustability feet : 60 mm Adjustable plinth : both horizontal and vertical

Net weight: 33.422 kg Gross weight: 35.6 kg Fuse protection: 10 A Voltage: 220-240 V Frequency: 50; 60 Hz

Length of electrical supply cord: 175 cm

Plug type : GB plug Length inlet hose : 165 cm Length outlet hose : 190 cm EAN code : 4242004193630 Installation type : Half-integrated





Features

Performance

- Energy Efficiency Class:A+
- Capacity: 12 place settings
- Energy consumption in programmeEco50 °C:290 kWhper year, based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- Water consumption in Eco50 programme: 9.5 litres
- Water consumption in Eco50programme:2660litres per year, based on 280 standard cleaning cycles
- Programme time inEco50programme:210 minutes
- Noise level dB (A) re 1pW:46 dB

Programmes/functions

- 5 programmes: Chef70 °C,Auto45-65 °C,Eco50 °C, Quick wash45 °C,Pre-Rinse
- 4 temperatures
- 2 special options:VarioSpeed,Half load

Flexible design elements

- Flex 1 basket system
- Height adjustable top basket
- 2 foldable plate racks in bottom basket
- Cutlery basket in lower rack

Innovations and technology

- NeffSparkle glass care system
- Residual drying
- Efficient SilentDrive BLDC motor
- Curved spray arms
- DosageAssist detergent dispenser
- DetergentAware
- AquaSensor®,Load sensor
- Neff AquaStop® with guarantee

Design features

- Display colour:Red LED indicators
- Large item spray head,including Steam protection plate
- Stainless steel/Polinox interior
- Push buttons on front control panel
- LED salt refill indicator, LED rinse-aid refill indicator
- Alternating spray arms
- Regenerative electronics
- Self-cleaning filter systemwith 3 piece corrugated filter
- Childproof Door lock
- Time delay (1-24 hours)
- Dimensions (HxWxD):81.5x59.8x57.3cm
- Efficiency information relates to the Eco50programme. This
 programme is suitable for cleaning normally soiled tableware and
 is the most efficient programme in terms of combined energy and
 water consumption.



