


Semi-integrated dishwasher, 60 cm, Stainless steel
S41T69N1GB



COOKING PASSION SINCE 1877



A++



Features

Technical Data

Water consumption (l) : 10.0
Construction type : Built-in
Height of removable worktop (mm) : 0
Required niche size for installation (HxWxD) : 815-875 x 600 x 573
Depth with open door 90 degree (mm) : 1155
Adjustable feet : Yes - front only
Maximum adjustability feet (mm) : 60
Adjustable plinth : both horizontal and vertical
Net weight (kg) : 44.548
Gross weight (kg) : 47.0
Connection rating (W) : 2400
Current (A) : 13
Voltage (V) : 220-240
Frequency (Hz) : 50; 60
Length of electrical supply cord (cm) : 170
Plug type : GB plug
Length inlet hose (cm) : 140
Length outlet hose (cm) : 170
EAN code : 4242004147725
Number of place settings : 14
Energy efficiency class (2010/30/EC) : A++
Energy consumption annual (kWh/annum) - NEW (2010/30/EC) : 266.00
Energy consumption (kWh) : 0.93
Power consumption in left-on mode (W) - NEW (2010/30/EC) : 0.50
Power consumption in off-mode (W) - NEW (2010/30/EC) : 0.50
Water consumption annual (l/annum) - NEW (2010/30/EC) : 2800
Drying performance : A
Reference programme : Eco
Total cycle time of reference programme (min) : 175
Noise level (dB(A) re 1 pW) : 41
Installation type : Built-in

Optional accessories

Z7860X0	ACCESSORIES DISHWASHER
Z7863X0	Cutlery basket
Z7871X0	Silver polishing cassette



4 242004 147725

Semi-integrated dishwasher, 60 cm, Stainless steel

S41T69N1GB

Features

Programmes and functions

- 6 programmes:
Auto 65-75 °C, Auto 45-65 °C, Auto 35-45 °C,
Economy 50 °C, Quick Wash 45 °C, Pre Rinse
- 5 cleaning temperatures
- 4 Special options: Intensive wash zone, VarioSpeed, Hygiene option, Extra dry

Features

- DosageAssist detergent dispenser
- DetergentAware
- NeffSparkle
- Regenerative electronics
- Time delay (1-24 hours) with Acoustic end of cycle indicator, remaining programme time indicator on top edge, LCD control panel with plain text, Remaining programme time indicator (minutes) on front display, water fault indicator
- Red LED indicators
- LED salt refill indicator, LED rinse-aid refill indicator
- Heat exchanger - Hygienic and efficient drying
- AquaSensor®, Load sensor
- Servo lock for effortless door closing
- Neff AquaStop® with guarantee

Design


- Piezo Touch control stainless steel inlay
- Push button top controls
- VarioflexPlus basket system
- Variodrawer on third level
- Silver baskets plus pullout handle with branded stainless steel inlay
- 3 stage Rackmatic height-adjustable top basket
- 6 foldable plate racks in top basket
- 6 foldable plate racks in bottom basket
- 2 foldable cup shelves in top basket, 2 foldable cup racks in bottom basket
- Glass rack in bottom basket
- Large item spray head, including Steam protection plate, Stainless steel interior
- Alternating spray arms
- Neff EfficientSilentDrive
- Child safety - Childproof door lock
- Self-cleaning filter system with 3 piece corrugated filter
- Front-adjustable rear foot

Technical information


- Capacity: 14 place settings
- Energy Efficiency Class: A++
- A rated performance for washing and A for drying
- Energy consumption in programme Economy 50: 0.93 Kwh
- Energy consumption in programme Economy 50: 266 Kwh per year, based on 280 standard cleaning cycles.
- Energy consumption when connected to hot water in programme Economy 50: 0.7 kwh
- Power consumption off-mode / left-on mode: 0.6 W / 0.6 W
- Duration of the left-on mode: 0 min
- Water consumption in programme Economy 50: 10 litres
- Water consumption in programme Economy 50: 2800 litres per year, based on 280 standard cleaning cycles.
- Programme time in programme Economy 50: 175 minutes
- Noise level dB (A) re 1pW: 41 dB
- The information relates to the programme Economy 50. This programme is suitable to clean normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.
- Dimensions of the product (HxWxD): 81.5 x 59.8 x 57.3 cm
- BLDC
- Stainless steel interior

Semi-integrated dishwasher, 60 cm, Stainless steel
S41T69N1GB

Dimensioned drawings



measurements in mm



() Werte mit Verlängerungssatz