

N 50, Fully-integrated dishwasher, 60 cm
S513G60X0G



The dishwasher that's flexible to load and indicates when it's running.

- ✓ InfoLight – a light projected onto the floor shows you that the dishwasher is in operation
- ✓ Chef 70° – the pro programme for getting stubborn dirt off pots and casserole dishes
- ✓ AquaStop for a lifetime guarantee against water damage
- ✓ Height Adjustable Top Basket: Three different height levels make loading easy and convenient
- ✓ Extra Dry: for difficult-to-dry loads select the extra drying option

Features

Technical Data

Energy Efficiency Class (Regulation (EU) 2017/1369) : E
 Energy Consumption for 100 cycles Eco Programme (EU 2017/1369) : 92
 Maximum number of place settings (EU 2017/1369) : 12
 The water consumption of the eco programme in liters per cycle (EU 2017/1369) : 10.0
 Programme duration (EU 2017/1369) : 3:30
 Airborne acoustical noise emissions (EU 2017/1369) : 48
 Airborne acoustical noise emission class (EU 2017/1369) : C
 Construction type : Built-in
 Height of removable worktop (mm) : 0
 Dimensions of the product (HxWxD) : 815 x 598 x 550
 Required niche size for installation (HxWxD) : 815-875 x 600 x 550
 Approval certificates : CE, VDE
 Depth with open door 90 degree (mm) : 1150
 Adjustable feet : Yes - all from front
 Maximum adjustability feet (mm) : 60
 Adjustable plinth : both horizontal and vertical
 Net weight (kg) : 33.357
 Gross weight (kg) : 35.4
 Connection rating (W) : 2400
 Current (A) : 10
 Voltage (V) : 220-240
 Frequency (Hz) : 50; 60
 Length of electrical supply cord (cm) : 175
 Plug type : GB plug
 Length inlet hose (cm) : 165
 Length outlet hose (cm) : 190
 EAN code : 4242004222156
 Installation type : Full-integrated

Optional accessories

Z7710X0	inlet and outlet hose extension
Z7861X1	decorative strips 81 cm st. steel
Z7863X1	Rack insert for stemware dishwasher
Z7870X0	Accessories dishwasher
Z7871X0	Silver polishing cassette
Z7880X0	Accessories dishwashers



4 242004 222156

Features

Performance

- Energy Efficiency Class¹: E
- Energy² / Water³: 92 kWh / 10 litres
- Capacity: 12 place settings
- Programme duration⁴: 3:30 (h:min)
- Noise level: 48 dB(A) re 1 pW
- Noise Efficiency Class: C

Programmes/functions

- 6 programmes: Chef 70 °C, Auto 45-65 °C, Eco 50 °C, Glass, 1 hour, Pre rinse
- 5 cleaning temperatures
- 2 special options: VarioSpeedPlus, Extra Dry
- Special program 1: Machine Care

Flexible design elements

- Flex 2 basket with TouchPoints
- 3 stage Rackmatic height-adjustable top basket
- 2 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- Knife rack in top basket
- Moveable cutlery basket in lower rack

Innovations and technology

- Neff EfficientSilentDrive
- Neff Sparkle - glass care system
- Heat exchanger - Hygienic and efficient drying
- Efficient SilentDrive BLDC motor
- Curved spray arms
- DosageAssist detergent dispenser
- DetergentAware
- AquaSensor®, Load sensor
- Neff AquaStop® with guarantee

Design features

- Red InfoLight®, Acoustic end of cycle indicator, remaining programme time indicator on top edge, water fault indicator
- Display colour: Red LED indicators
- Large item spray head, including Steam protection plate
- Stainless steel/Polinox interior
- Push button top controls
- LED salt refill indicator, LED rinse-aid refill indicator
- Alternating spray arms
- Regenerative electronics
- Self-cleaning filter system with 3 piece corrugated filter
- Childproof Door lock
- Time delay (3, 6 or 24 hours)
- Acoustic end of cycle indicator
- Dimensions (HxWxD): 81.5 x 59.8 x 55cm

¹ Scale of Energy Efficiency Classes from A to G

² Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)

³ Water consumption in litres per cycle (in programme Eco 50 °C)

⁴ Duration of programme Eco 50 °C

N 50, Fully-integrated dishwasher, 60 cm
S513G60X0G

Dimensioned drawings

