

N 50, FULLY-INTEGRATED DISHWASHER, 60 CM S513M60X2G









Optional accessories

Z7710X0	inlet and outlet hose extention
Z7860X0	ACCESSORIES DISHWASHER
Z7860X3	Stainless steel protection set 81,5 cm
Z7863X1	Rack insert for stemware dishwasher
Z7865X6	Attachment door, brushed steel
Z7870X0	Accessories dishwasher
Z7880X0	Accessories dishwashers

The dishwasher that's flexible to load and displays the time remaining.

- $\sqrt{\mbox{ Time-Light}}$ the time remaining in the programme is projected onto the floor
- $\sqrt{\mbox{ Chef 70^{\circ}C}}$ The pro programme that vanishes stubborn residues.
- $\sqrt{\,}$ Aqua Stop: Neff's warranty in case of water damage throughout the lifetime of the appliance.*
- $\sqrt{}$ Height Adjustable Top Basket: Three different height levels make loading easy and convenient
- $\sqrt{\mbox{ Extra Dry:}}$ for difficult-to-dry loads select the extra drying option

Features

- 1 t 15 t	
Technical Data	
Maximum number of place settings:	14
The water consumption of the eco program	nme in liters per cycle:
9.51	
Built-in / Free-standing:	Built-in
Height of removable worktop:	
Dimensions of the product (HxWxD):	
Min. required niche size for installation (Hx	
550 mm	,
Depth with open door 90 degree:	1150 mm
Adjustable feet:	
· ·	
Maximum adjustability feet:	
Adjustable plinth: Bot	
Net weight:	~
Gross weight:	36.5 kg
Fuse protection:	10 A
Voltage:	220-240 V
Frequency:	60; 50 Hz
Length electrical supply cord:	175.0 cm
Plug type:	GB plug
Length inlet hose:	165 cm
Length outlet hose:	190 cm
EAN code:	
Installation typology:	
	an integrated



N 50, FULLY-INTEGRATED DISHWASHER, 60 CM S513M60X2G

Features

Performance

- Capacity: 14 place settings
- Energy consumption in programme Eco 50 °C: 266 kWhper year, based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- Energy consumption in Eco 50 programme: 0.93 kWh
- Water consumption in Eco50 programme: 2660 litres per year, based on 280 standard cleaning cycles
- Programme time in Eco 50 programme: 210 minutes
- Noise level dB (A) re 1pW: 46 dB

Programmes/functions

- 6 programmes: Chef 70 °C, Auto 45-65 °C , Eco 50 °C, Glass, 1 hour, Pre rinse
- 3 special options: VarioSpeedPlus, HygienePlus, Extra Dry
- Special program 1: Machine Care
- 5 cleaning temperatures

Flexible design elements

- mid TP
- Flex 2 Drawer
- 3 stage Rackmatic height-adjustable top basket
- 2 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- Upper rack cup shelf

Innovations and technology

- Neff EfficientSilentDrive
- Neff Sparkle glass care system
- Heat exchanger.
- Efficient SilentDrive BLDC motor
- Curved spray arms
- DosageAssist detergent dispenser
- DetergentAware
- AquaSensor®, Load sensor
- Aqua Stop: Neff's warranty in case of water damage throughout the lifetime of the appliance.*

Design features

- White TimeLight projection on floor, Acoustic end of cycle indicator, remaining programme time indicator on top edge, water fault indicator
- Large item spray head, steam protection plate
- Stainless steel interior
- Push button top controls
- LED salt refill indicator, LED rinse-aid refill indicator
- Alternating spray arms
- Regenerative electronics
- Self-cleaning filter system with 3 piece corrugated filter
- Childproof Door lock
- Time delay (3, 6 or 24 hours)
- Acoustic end of cycle indicator
- Dimensions (HxWxD): 81.5 x 59.8 x 55cm
- Efficiency information relates to the Eco50 programme. This programme is suitable for cleaning normally soiled tableware and is the most efficient programme in terms of combined energy and

water consumption.



N 50, FULLY-INTEGRATED DISHWASHER, 60 CM S513M60X2G

