

N 70, Fully-integrated dishwasher, 60 cm
S515T80D1G



COOKING PASSION SINCE 1877



The dishwasher with cutlery drawer that's extremely flexible to load and displays the time remaining.

- ✓ Door Open Assist – Just push the door gently to open.
- ✓ TimeLight – the time remaining in the programme is projected onto the floor
- ✓ Chef 70°C – The pro programme that vanishes stubborn residues.
- ✓ Noise Level 39 dB – Extremely quiet dishwashing at just 39-45 dB.
- ✓ Aqua Stop: Neff's warranty in case of water damage – throughout the lifetime of the appliance.*

Features

Technical Data

Energy Efficiency Class : E
 Energy Consumption for 100 cycles Eco Programme : 95 kWh
 Maximum number of place settings : 14
 The water consumption of the eco programme in liters per cycle : 9.5 l
 Programme duration : 3:15 h
 Airborne acoustical noise emissions : 39 dB(A) re 1 pW
 Airborne acoustical noise emission class : B
 Construction type : Built-in
 Height of removable worktop : 0 mm
 Dimensions of the product (HxWxD) : 815 x 598 x 550 mm
 Required niche size for installation (HxWxD) : 815-875 x 600 x 550 mm
 Approval certificates : CE, VDE
 Depth with open door 90 degree : 1150 mm
 Adjustable feet : Yes - all from front
 Maximum adjustability feet : 60 mm
 Adjustable plinth : both horizontal and vertical
 Net weight : 48.2 kg
 Gross weight : 50.5 kg
 Connection rating : 2400 W
 Fuse protection : 10 A
 Voltage : 220-240 V
 Frequency : 50; 60 Hz
 Length of electrical supply cord : 175 cm
 Plug type : GB plug
 Length inlet hose : 165 cm
 Length outlet hose : 190 cm
 EAN code : 4242004222316
 Installation type : Full-integrated

Optional accessories

Z7860X0	ACCESSORIES DISHWASHER
Z7860X3	Stainless steel protection set 81,5 cm
Z7863X0	Cutlery basket



4 242004 222316

N 70, Fully-integrated dishwasher, 60 cm S515T80D1G



COOKING PASSION SINCE 1877

Features

Performance

- Energy Efficiency Class¹: E
- Energy² / Water³: 95 kWh / 9.5 litres
- Capacity: 14 place settings
- Programme duration⁴: 3:15 (h:min)
- Noise level: 39 dB(A) re 1 pW
- Noise Efficiency Class: B

Programmes/functions

- 8 programmes: Chef 70 °C, Auto 45-65 °C, Eco 50 °C, Silence, Glass, 1h 65 °C, Schnell 45 °C, Vorspülen
- 4 special options: Intensive Zone, VarioSpeedPlus, HygienePlus, Extra Dry
- Special program 1: Machine Care
- 5 cleaning temperatures
- EcoDry - end of cycle door opening for perfect results, Heat exchanger - Hygienic and efficient drying

Flexible design elements

- high TP
- Flex drawer
- 3 stage Rackmatic height-adjustable top basket
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket
- Upper rack cup shelf
- Glass rack in bottom basket

Innovations and technology

- Neff EfficientSilentDrive
- doorOpen Assist - Simple to use, designed for handleless kitchens
- Neff Sparkle - glass care system
- Heat exchanger.
- Curved spray arms
- DosageAssist detergent dispenser
- DetergentAware
- AquaSensor®, Load sensor
- Aqua Stop: Neff's warranty in case of water damage – throughout the lifetime of the appliance.*

Design features

- TouchControl (metallic)
- White interior EmotionLight
- White TimeLight projection on floor, Acoustic end of cycle indicator, remaining programme time indicator on top edge, water fault indicator
- Display colour: white
- Large item spray head, including Steam protection plate
- Stainless steel interior
- Push button top controls
- LED salt refill indicator, LED rinse-aid refill indicator
- Alternating spray arms
- Regenerative electronics
- Self-cleaning filter system with 3 piece corrugated filter
- Childlock - when activated double push to open
- Time delay (3, 6 or 24 hours)
- Acoustic end of cycle indicator
- Dimensions (HxWxD): 81.5 x 59.8 x 55cm

¹ Scale of Energy Efficiency Classes from A to G

² Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)

³ Water consumption in litres per cycle (in programme Eco 50 °C)


⁴ Duration of programme Eco 50 °C

N 70, Fully-integrated dishwasher, 60 cm
S515T80D1G




COOKING PASSION SINCE 1877

Dimensioned drawings



measurements in mm



measurements in mm

socket
() values with extension kit