











### Ontional accessories

Z7710X0	inlet and outlet hose extention
Z7860X0	ACCESSORIES DISHWASHER
Z7860X3	Stainless steel protection set 81,5 cm
Z7863X0	Cutlery basket
Z7863X1	Rack insert for stemware dishwasher
Z7870X0	Accessories dishwasher
Z7880X0	Accessories dishwashers

# The dishwasher with cutlery drawer that's extremely flexible to load and displays the time remaining.

- $\sqrt{\,}$  Door Open Assist - a light push opens the handle-less door
- $\sqrt{\mbox{TimeLight}}$  the time remaining in the programme is projected onto the floor
- $\sqrt{}$  Chef 70° the pro programme for getting stubborn dirt off pots and casserole dishes
- $\sqrt{}$  AquaStop for a lifetime guarantee against water damage
- $\sqrt{\mbox{ Height Adjustable Top Basket: Three different height levels make loading easy and convenient}$

#### Features

#### Technical Data

Water consumption (I): 6.5 Construction type: Built-in

Height of removable worktop (mm): 0

Dimensions of the product (HxWxD) :  $815 \times 598 \times 550$ 

Required niche size for installation (HxWxD) :  $815-875 \times 600 \times 550$ 

Depth with open door 90 degree (mm) : 1150 Adjustable feet : Yes - all from front

Maximum adjustability feet (mm): 60 Adjustable plinth: both horizontal and vertical

Net weight (kg): 41.330 Gross weight (kg): 43.5 Current (A): 10 Voltage (V): 220-240 Frequency (Hz): 50; 60

Length of electrical supply cord (cm): 175

Plug type : GB plug

Length inlet hose (cm): 165 Length outlet hose (cm): 190 EAN code: 424200422323 Number of place settings: 13 Energy efficiency rating: A++

Energy consumption annual (kWh/annum) - NEW (2010/30/EC) :

262.00

Energy consumption (kWh): 0.92

Power consumption in left-on mode (W) - NEW (2010/30/EC) : 0.50 Power consumption in off-mode (W) - NEW (2010/30/EC) : 0.50 Water consumption annual (l/annum) - NEW (2010/30/EC) : 1820

Drying performance : A Reference programme : Eco

Total cycle time of reference programme (min) : 195

Noise level (dB(A) re 1 pW) : 44 Installation type : Full-integrated





#### Features

#### Performance

- Energy Efficiency Class: A++
- Capacity: 13 place settings
- Energy consumption in programme Eco 50 °C: 262 kWhper year, based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- Energy consumption in Eco 50 programme: 0.92 kWh
- Water consumption in Eco 50 programme: 6.5 litres
- Water consumption in Eco 50 programme: 1820 litres per year, based on 280 standard cleaning cycles
- Programme time in Eco 50 programme: 195 minutes
- Noise level dB (A) re 1pW: 44 dB

### Programmes/functions

- 8 programmes: Chef 70 °C, Auto 45-65 °C, Eco 50 °C, Silence, Glass, 1h 65 °C, Schnell 45 °C, Vorspülen
- 4 special options: Intensive Zone, VarioSpeedPlus, HygienePlus, Extra Dry
- Special program 1: Machine Care
- 5 cleaning temperatures
- EcoDry end of cycle door opening for perfect results, Heat exchanger Hygienic and efficient drying

### Flexible design elements

- Flex 3 basket system
- Flex drawer
- 3 stage Rackmatic height-adjustable top basket
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket
- Upper rack cup shelf
- Glass rack in bottom basket

## Innovations and technology

- Neff EfficientSilentDrive
- doorOpen Assist Simple to use, designed for handleless kitchens
- Neff Sparkle glass care system
- Heat exchanger Hygienic and efficient drying
- Efficient SilentDrive BLDC motor
- Curved spray arms
- DosageAssist detergent dispenser
- DetergentAware
- AquaSensor®, Load sensor
- $\bullet$  Neff AquaStop  $^{\mbox{\scriptsize (B)}}$  with guarantee

### Design features

- TouchControl (metallic)
- White interior EmotionLight
- White TimeLight projection on floor, Acoustic end of cycle indicator, remaining programme time indicator on top edge, water fault indicator
- Display colour: white
- Large item spray head, including Steam protection plate
- Stainless steel interior
- Push button top controls
- LED salt refill indicator, LED rinse-aid refill indicator
- Alternating spray arms
- Regenerative electronics
- Self-cleaning filter system with 3 piece corrugated filter
- Childlock when activated double push to open
- Time delay (3, 6 or 24 hours)
- Acoustic end of cycle indicator
- Dimensions (HxWxD): 81.5 x 59.8 x 55cm
- Efficiency information relates to the Eco 50 programme. This
  programme is suitable for cleaning normally soiled tableware and
  is the most efficient programme in terms of combined energy and
  water consumption.



