


Built-in modular dishwasher, 60 cm, Stainless steel
S66M64M1EU



COOKING PASSION SINCE 1877



A+



Features

Technical Data

Water consumption (l) : 9.0
 Construction type : Built-in
 Height of removable worktop (mm) : 0
 Depth with open door 90 degree (mm) : 995
 Adjustable feet : No
 Adjustable plinth : No
 Net weight (kg) : 26.881
 Gross weight (kg) : 30.0
 Connection rating (W) : 2400
 Current (A) : 10
 Voltage (V) : 220-240
 Frequency (Hz) : 50; 60
 Length of electrical supply cord (cm) : 175
 Plug type : GARDY plug w/ earthing
 Length inlet hose (cm) : 165
 Length outlet hose (cm) : 215
 EAN code : 4242004189862
 Number of place settings : 8
 Energy efficiency class (2010/30/EC) : A+
 Energy consumption annual (kWh/annum) - NEW (2010/30/EC) : 205.00
 Energy consumption (kWh) : 0.72
 Power consumption in left-on mode (W) - NEW (2010/30/EC) : 0.10
 Power consumption in off-mode (W) - NEW (2010/30/EC) : 0.10
 Water consumption annual (l/annum) - NEW (2010/30/EC) : 2520
 Drying performance : A
 Reference programme : Eco
 Total cycle time of reference programme (min) : 215
 Noise level (dB(A) re 1 pW) : 45
 Installation type : Built-in



Built-in modular dishwasher, 60 cm, Stainless steel

S66M64M1EU

Features

Performance

- Energy Efficiency Class: A+
- Capacity: 8 place settings
- Energy consumption in Eco 50 programme: 205 Kwh per year, based on 280 standard cleaning cycles
- Water consumption in Eco 50 programme: 9 litres
- Water consumption in Eco 50 programme: 2520 litres per year, based on 280 standard cleaning cycles
- Programme time in Eco 50 programme: 215 minutes
- Noise level dB (A) re 1pW: 45 dB

Programmes/functions

- 6 programmes:
Chef 70 °C, Auto 45-65 °C, Eco 50 °C,
old - Delicate 40 °C, Quick wash 45 °C, Pre-Rinse
- 6 programmes:
Chef 70 °C, Auto 45-65 °C, Eco 50 °C,
old - Delicate 40 °C, Quick wash
- 6 programmes: Chef 70 °C, Auto
45-65 °C, Eco 50 °C, old - Delicate
- 6 programmes:
Chef 70 °C, Auto 45-65 °C, Eco 50 °C, old - Delicate 40 °C
- 6 programmes:
Chef 70 °C, Auto 45-65 °C, Eco 50 °C,
old - Delicate 40 °C, Quick wash
- 6 programmes:
Chef 70 °C, Auto 45-65 °C, Eco 50 °C,
old - Delicate 40 °C, Quick wash 45 °C, Pre-Rinse
- 5 cleaning temperatures
- 4 Special options: Intensive wash zone, VarioSpeed Plus, Hygiene Plus, Extra dry

Flexible design elements

- Light grey baskets
- 4 foldable plate racks in bottom basket
- Small variable cutlery basket in bottom basket

Innovations and technology


- NeffSparkle - glass care system
- Heat exchanger - Hygienic and efficient drying
- Efficient SilentDrive BLDC motor
- Curved spray arms
- DosageAssist detergent dispenser
- DetergentAware
- AquaSensor®, Load sensor
- Neff AquaStop® with guarantee

Design features


- Colour of indicators: red/white
- Stainless steel/Polinox interior
- Push buttons on front control panel
- LED salt refill indicator, LED rinse-aid refill indicator
- Alternating spray arms
- Regenerative electronics
- Self cleaning filter system with 3 piece corrugated filter
- Tamperproof controls
- Time delay (1-24 hours) with Remaining programme time indicator (minutes) on front display, water fault indicator
-
- Dimensions (HxWxD): 59.5 x 59.5 x 50cm
- Efficiency information relates to the Eco 50 programme. This programme is suitable for cleaning normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.

Built-in modular dishwasher, 60 cm, Stainless steel
S66M64M1EU


Dimensioned drawings




measurements in mm



measurements in mm



measurements in mm



Nominal lengths:	1.65 m	Extension:	2.20 m
AquaStop:	2.25 m	AquaStop:	2.20 m
Drain hose:	1.70 m	Drain hose:	2.00 m