


N 50, GAS HOB, 60 CM, STAINLESS STEEL
T26BB46N0



Z2402X0 Small pot support

Gas hob with front controls - for easy control of the 4 gas burners.

- ✓ Pan Supports - continuous cast-iron finish pan supports for maximum stability and cooking convenience.
- ✓ Sword Knobs - a better feel and easier to operate, the new knob in an attractive design.
- ✓ Stainless steel surface - elegant and sophisticated design.

Product name/family:gas hob w
integrated controls
Built-in / Free-standing: Built-in
Energy input: Gas
Number of cooking zones: 4
Type of control setting devices: sword knobs
Min. required niche size for installation (HxWxD): .. 45 x 560-562 x
480-492 mm
Width of the appliance: 582 mm
Dimensions: 53 x 582 x 520 mm
Dimensions of the packed product (HxWxD): . 141 x 651 x 578 mm
Net weight: 8.1 kg
Gross weight: 9.0 kg
Residual heat indicator: without
Location of control panel: Front
Basic surface material: Stainless steel
Color of surface: Stainless steel
Length electrical supply cord: 100.0 cm
EAN code: 4242004212089
Gas connection rating: 7500 W
Fuse protection: 3 A
Voltage: 220-240 V
Frequency: 60; 50 Hz



N 50, GAS HOB, 60 CM, STAINLESS STEEL
T26BB46N0

Design

- Stainless steel

Special features

- Design co-ordinated control dials
- Ignition via control dials
- Cast iron finish pan supports with rubber feet

Power and size

- 4 burner hob
- Left rear: Standard burner 1.75 KW
- Right rear: High speed burner 3 KW
- Left front: Standard burner 1.75 KW
- Right front: Economy burner 1 KW

Safety Features

- Flame failure safety device
- Factory set for connection to mains gas. Also usable for Nat gas L/LL G25/20mbar(DE)
- NG H/E 20mbar, E+ 20/25mbar Natural gas H 25 mbar (HU) Natural gas L 25 mbar (NL) Liquid gas G30,31 28-30/37mbar Liquid gas G30 37 mbar (PL) Liquid gas 50 mbar. For the use of these gas types nozzles need to be changed. Please check if the required nozzles are included (see Accessories).

Technical information

- Power cord length 100 cm

Accessories

- Nozzle set for LPG jets (28-30/37mbar) included. Nozzles for all other gas types can be ordered via the customer service.

N 50, GAS HOB, 60 CM, STAINLESS STEEL
T26BB46N0

