


N 70, GAS HOB, 75 CM, STAINLESS STEEL  
T27CIS8N0



Optional accessories

Z9404SE0	4 pieces Set
Z9406SE0	6 pieces Set
Z1365WX0	Wireless food thermometer
Z2471X0	Wok ring

The gas hob with precise flame control, removable dials and pan supports that are suitable for dishwashers - for Comfort Clean.

- ✓ FlameSelect®: Gain precise control of your flame.
- ✓ Metallic Sword Dial: Precise and removable for easy cleaning.
- ✓ Cast Iron Pan Supports: For maximum stability and dishwasher cleaning.
- ✓ Dual Wok Burner up to 5.0 kW: Use one gas flame for simmering, two for sizzling stir-fries.
- ✓ Gas Safety Cut-Off: Safety first! No flame, no gas flow.

Features

Technical Data

Product name/family:	.....gas hob w integrated controls
Built-in / Free-standing:	..... Built-in
Energy input:	..... Gas
Number of cooking zones:	..... 5
Required niche size for installation (HxWxD):	..... 45 x 560-560 x 480-490 mm
Width of the appliance:	..... 750 mm
Dimensions:	..... 45x750x520 mm
Dimensions of the packed product (HxWxD):	..... 150x790x600 mm
Net weight:	..... 13.6 kg
Gross weight:	..... 15.5 kg
Residual heat indicator:	..... Without
Location of control panel:	..... Front
Basic surface material:	..... Stainless steel
Color of surface:	.....Stainless steel
Length electrical supply cord:	..... 100 cm
EAN code:	.....4242004284635
Gas connection rating:	..... 12500 W
Fuse protection:	.....3 A
Voltage:	.....220-240 V
Frequency:	.....50; 60 Hz



## N 70, GAS HOB, 75 CM, STAINLESS STEEL T27CIS8N0

### Features

#### Design

- Stainless steel surface
- black cast iron pan supports with protective rubber feet
- full metal

#### Usage convenience

- FlameSelect with 9 steps: precisely control and adjust the flame in nine defined levels.
- Design co-ordinated control dials, front: easily access dials in front with strong grip for effortless turning.
- Ignition via control dials: just push and turn the dials to ignite the flame.

#### Burners and power

- 5 burner hob
- Including 1 wok burner: use an extra wide power range, separately controlling two flame rings.
- Left: Wok burner up to 5 KW (depending on gas type)
- Center front: Economy burner up to 1 KW (depending on gas type)
- Center rear: standard burner up to 1.75 KW (depending on gas type)
- Right rear: High speed burner up to 3 KW (depending on gas type)
- Right front: Standard burner up to 1.75 KW (depending on gas type)

#### Cleaning

- Removable control dials for easy cleaning between knobs.
- Dishwasher suitable pan supports for easy cleaning.

#### Safety

- Flame failure safety device: prevents unwanted gas flow when flame goes out.

#### Installation (gas types & measurements)

- Usable for: Nat gas L/LL G25/20mbar(DE)
- NG H/E 20mbar, E+ 20/25mbar
- Natural gas H 25 mbar (HU)
- Natural gas L 25 mbar (NL)
- Liquid gas G30,31 28-30/37mbar
- Liquid gas G30 37 mbar (PL)
- Liquid gas 50 mbar
- Factory set for connection to mains gas
- Nozzle set for LPG jets (28-30/37mbar) included. Nozzles for all other gas types can be ordered via the customer service. For nozzle change, please contact the customer service.
- Dimensions of the product (HxWxD mm): 51.5 x 750 x 520
- Required niche size for installation (HxWxD mm) : 45 x 560 x (480 - 490)
- Min. worktop thickness: 20 mm
- Power cord: 1 m
- Connected load: 12.5 KW

N 70, GAS HOB, 75 CM, STAINLESS STEEL  
T27CIS8N0

Dimensioned drawings

