

N 50, BUILT-IN DOUBLE OVEN U1ACE2HG0B







Included accessories

3 x combination grid, 1 x universal pan

Optional accessories

Z1608BX0 Full ext rails, level independent, Z1655CA0 Air Fry & Grill tray, Z1913X0 Baking Stone, Z11AB15A0 Baking tray, non-stick ceramic coated, Z11AU15A0 Universal pan, non-stick ceramic coated, Z11CR10X0 Baking and roasting grid (standard), Z11GT10X3 Glass roasting dish, 5,4I, Z11TI15X0 Cliprails, Z12CB10A0 Baking tray, enamelled, Z12CP10A0 Pizza pan, enamelled, Z12CU10A0 Multipurpose pan, enamelled, Z1365WX0 Wireless food thermometer, Z13CR10X0 Baking and roasting grid (steam)

Double built-in oven - perfect for grilling, baking and roasting of multiple dishes at the same time.

- $\sqrt{\mbox{CircoTherm}^{\otimes}}$ Smart hot-air solution that lets you bake on up to three levels at once.
- $\sqrt{}$ EasyClean this special cleaning aid provides uncomplicated, energy-saving cleaning of the oven interior.
- $\sqrt{\,}$ LCD-Display simple, straightforward with large characters for clear reading
- $\sqrt{\,}$ Cliprails Place dishes exactly where you want them in your oven

Features

Technical Data	
Built-in / Free-standing:	Built-in
Integrated Cleaning system:	
Dimensions:	
Dimensions of the packed product (HxWxD): .	
Control Panel Material:	
Door Material:	
Net weight:	
Usable volume of cavity:	~
Cooking method: Full width grill, H	
Conventional heat, Hot air grilling	otan gerrae, rioerai,
Oven control:	mechanical
EAN code:	
Energy efficiency rating:	
Energy consumption per cycle conventional (2	
kWh/cycle	.010/30/20/. 1.02
,	
Energy consumption per cycle forced air conve	ection
Energy consumption per cycle forced air conve	
(2010/30/EC):	0.81 kWh/cycle
(2010/30/EC): Energy efficiency class (2010/30/EC) - cavity 2	0.81 kWh/cycle 2: B
(2010/30/EC):	0.81 kWh/cycle 2: B cavity 2
(2010/30/EC):	0.81 kWh/cycle 2: B cavity 2 0.83 kWh/cycle
(2010/30/EC):	0.81 kWh/cycle 2:
(2010/30/EC):	0.81 kWh/cycle 2: B cavity 2 0.83 kWh/cycle 95.3 % : 120.3 %
(2010/30/EC):	0.81 kWh/cycle 2: B cavity 2 0.83 kWh/cycle 95.3 % : 120.3 % 5900 W
(2010/30/EC):	0.81 kWh/cycle 2: B cavity 2 0.83 kWh/cycle 95.3 % : 120.3 % 5900 W
(2010/30/EC):	0.81 kWh/cycle 2: B cavity 2 0.83 kWh/cycle 95.3 % : 120.3 % 5900 W 32 A 220-240 V
(2010/30/EC):	0.81 kWh/cycle 2: B cavity 2 95.3 % : 120.3 % 5900 W 32 A 220-240 V 50 Hz
(2010/30/EC):	0.81 kWh/cycle 2: B cavity 2 95.3 % : 120.3 % 5900 W 32 A 220-240 V 50 Hz no plug
(2010/30/EC):	0.81 kWh/cycle 2: B cavity 2 95.3 % : 120.3 % 5900 W 32 A 220-240 V 50 Hz no plug
(2010/30/EC):	0.81 kWh/cycle 2: B cavity 2 95.3 % 120.3 % 5900 W 32 A 220-240 V 50 Hz no plug nnection (electrical





N 50, BUILT-IN DOUBLE OVEN U1ACE2HGOB

Features

Features

- Temperature range 50 °C 275 °C
- Cavity volume: 71 litre

Level independent telescopic rails

- 4 shelf positions
- 1 Clip rail, Stop function

Design

- Graphite-Grey Edition
- Elongated designed dials, Retractable control dials, Bevelled oval controls
- Cavity inner surface: enamel anthracite

Cleaning

- EasyClean
- Full glass inner door

Programmes/functions

- LCD Display (White)
- Electronic clock timer
- Heating up indicator
- Automatic start
- Bar handle
- Manual rapid heating up
- Interior halogen light
- Cooling fan
- Stainless-steel fan

Accessories

• 3 x combination grid, 1 x universal pan

Features

- Heat reflective glass
- Control panel lock

Technical information

- Nominal voltage: 220 240 V
- Total connected load electric: 5.9 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): A
- Energy consumption per cycle in conventional mode:1.02 kWh
 Energy consumption per cycle in fan-forced convection mode:0.81
- kWh
- Number of cavities: Main cavity Heat source: electrical Cavity volume 71 litre

Performance/technical information

- Appliance dimension (hxwxd): 888 mm x 594 mm x 550 mm
- • Niche dimension (hxwxd): 875 mm - 888 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual
- We recommend you to choose complementary products within N50, in order to assure an optimal design combination of your Built-In appliances.



measurements in mm

N 50, BUILT-IN DOUBLE OVEN U1ACE2HG0B

Dimensioned drawings measurements in mm Back panel open **- 20** 18 ↓ 19.5 145 875+13 min. 550 min. 891 96 180 888 888 870 816 774 560+10 max. 50 550 594 Space for appliance connection 320 x 115 **1** 8 550