

## N 50, BUILT-IN DOUBLE OVEN U1ACE2HN0B



A



### Optional accessories

Z11AB15A0	Baking tray, non-stick ceramic coated
Z11AU15A0	Universal pan, non-stick ceramic coated
Z11CR10X0	Baking and roasting grid (standard)
Z11GT10X3	Glass roasting dish, 5,4l
Z11TI15X0	Cliprails
Z13CR10X0	Baking and roasting grid (steam)
Z1608BX0	Full ext rails, level independent
Z1655CA0	Air Fry & Grill tray
Z1913X0	Baking Stone

Double built-in oven - perfect for grilling, baking and roasting of multiple dishes at the same time.

- ✓ EasyClean - this special cleaning aid provides uncomplicated, energy-saving cleaning of the oven interior.
- ✓ LCD-Display - simple, straightforward with large characters for clear reading
- ✓ Cliprails - Place dishes exactly where you want them in your oven.

### Features

#### Technical Data

Construction type: ..... Built-in  
Integrated Cleaning system: ..... No  
Dimensions: ..... 888 x 594 x 550 mm  
Dimensions of the packed product (HxWxD): . 960 x 660 x 690 mm  
Control Panel Material: ..... Glass  
Door Material: ..... Glass  
Net weight: ..... 51.0 kg  
Usable volume of cavity: ..... 71 l  
Cooking method: ..... Full width grill, CircoTherm® gentle, Hot Air, Conventional heat, Hot air grilling  
Oven control: ..... mechanical  
Number of interior lights: ..... 1  
EAN code: ..... 4242004222026  
Energy efficiency rating: ..... A  
Energy consumption per cycle conventional (2010/30/EC): 1.02 kWh/cycle  
Energy consumption per cycle forced air convection (2010/30/EC): ..... 0.81 kWh/cycle  
Energy efficiency class (2010/30/EC) - cavity 2: ..... B  
Energy consumption per cycle conventional - cavity 2 (2010/30/EC): ..... 0.83 kWh/cycle  
Energy efficiency index (2010/30/EC): ..... 95.3 %  
Energy efficiency index cavity 2 (2010/30/EC): ..... 120.3 %  
Connection rating: ..... 5900 W  
Fuse protection: ..... 32 A  
Voltage: ..... 220-240 V  
Frequency: ..... 50 Hz  
Plug type: ..... no plug (electrical connection by electrician), fixed connection  
Included accessories: ..... 3 x combination grid, 1 x universal pan



4 242004 222026

## N 50, BUILT-IN DOUBLE OVEN U1ACE2HNOB

### Features

- LCD Display (White)

#### Features

- Control panel lock

#### Top oven additional features

- Cavity volume: 34 Litre
- Full glass inner door
- Cavity (inner surface) top: Enamel grey
- Door hinge small cavity: bottom

#### Main oven additional features

- EasyClean
- 1 Clip rail, Stop function
- Cavity (inner surface) bottom: enamel anthracite
- Oven with 4 heating methods: Top/bottom heat, Full surface grill, Small area grill, Bottom heat
- Temperature range 50 °C - 275 °C
- 3 x combination grid, 1 x universal pan

#### Performance/technical information

- Nominal voltage: 220 - 240 V
- Appliance dimension (hwxwd): 888 mm x 594 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

## Dimensioned drawings

Technical drawing of a door with the following dimensions:

- Overall width: 550
- Overall height: 888
- Top panel width: 18
- Top panel height: 20
- Bottom panel height: 774
- Bottom panel width: 8

[illegible]