

# N 50, BUILT-IN DOUBLE OVEN U1ACE2HNOB









#### Included accessories

3 x combination grid, 1 x universal pan

## Optional accessories

Z1913X0 Baking Stone, Z11AB15A0 Baking tray, non-stick ceramic coated, Z11AU15A0 Universal pan, non-stick ceramic coated, Z11CR10X0 Baking and roasting grid (standard), Z11GT10X3 Glass roasting dish, 5,4l, Z11TI15X0 Cliprails, Z12CB10A0 Baking tray, enamelled, Z12CP10A0 Pizza pan, enamelled, Z12CU10A0 Multipurpose pan, enamelled, Z1365WX0 Wireless food thermometer, Z13CR10X0 Baking and roasting grid (steam), Z1608BX0 Full ext rails, level independent, Z1655CA0 Air Fry & Grill tray

Double built-in oven - perfect for grilling, baking and roasting of multiple dishes at the same time.

- $\sqrt{}$  EasyClean this special cleaning aid provides uncomplicated, energy-saving cleaning of the oven interior.
- $\sqrt{\,}$  LCD-Display simple, straightforward with large characters for clear reading
- $\sqrt{\,}$  Cliprails Place dishes exactly where you want them in your oven.

## Features

	Technical Data	
	Built-in / Free-standing:	Built-in
	Integrated Cleaning system:	No
	Dimensions:	
	Dimensions of the packed product (HxWxD): . 960 x 66	
	Control Panel Material:	
	Door Material:	
	Net weight:	51.0 kg
	Usable volume of cavity:	71 l
Cooking method: Full width grill, Hotair gentle, He		itle, Hot Air,
	Conventional heat, Hot air grilling	
	Oven control:	. mechanical
	EAN code:4242	2004222026
	Energy efficiency rating:	
Energy consumption per cycle conventional (2010/30/EC): 1.02		EC): 1.02
	kWh/cycle	
	Energy consumption per cycle forced air convection	
	(2010/30/EC):	
	Energy efficiency class (2010/30/EC) - cavity 2:	В
	Energy consumption per cycle conventional - cavity 2	
	(2010/30/EC): 0.8	2   1   1   1
	Energy efficiency index (2010/30/EC):	95.3 %
	Energy efficiency index (2010/30/EC):	95.3 % 120.3 %
	Energy efficiency index (2010/30/EC):	95.3 % 120.3 % 5900 W
	Energy efficiency index (2010/30/EC):  Energy efficiency index cavity 2 (2010/30/EC):  Connection Rating:  Fuse protection:	95.3 % 120.3 % 5900 W 32 A
	Energy efficiency index (2010/30/EC): Energy efficiency index cavity 2 (2010/30/EC): Connection Rating: Fuse protection: Voltage:	95.3 % 120.3 % 5900 W 32 A 220-240 V
	Energy efficiency index (2010/30/EC): Energy efficiency index cavity 2 (2010/30/EC): Connection Rating: Fuse protection: Voltage: Frequency:	95.3 % 120.3 % 5900 W 32 A 220-240 V 50 Hz
	Energy efficiency index (2010/30/EC):  Energy efficiency index cavity 2 (2010/30/EC):  Connection Rating:  Fuse protection:  Voltage:  Frequency:  Plug type:	95.3 %120.3 %5900 W32 A220-240 V50 Hzno plug
	Energy efficiency index (2010/30/EC): Energy efficiency index cavity 2 (2010/30/EC): Connection Rating: Fuse protection: Voltage: Frequency:	95.3 %120.3 %5900 W32 A220-240 V50 Hzno plug
	Energy efficiency index (2010/30/EC):  Energy efficiency index cavity 2 (2010/30/EC):  Connection Rating:  Fuse protection:  Voltage:  Frequency:  Plug type:  (electrical connection by electrician), fixed connection	95.3 %120.3 %5900 W32 A220-240 V50 Hzno plug (electrical
	Energy efficiency index (2010/30/EC):  Energy efficiency index cavity 2 (2010/30/EC):  Connection Rating:  Fuse protection:  Voltage:  Frequency:  Plug type:  (electrical connection by electrician), fixed connection connection by electrician)	95.3 %120.3 %5900 W32 A220-240 V50 Hzno plug (electrical





# N 50, BUILT-IN DOUBLE OVEN U1ACE2HNOB

## Features

• LCD Display (White)

#### Features

• Control panel lock

## Top oven additional features

- Cavity volume: 34 Litre
- Full glass inner door
- Cavity (inner surface) top: Enamel grey
- Door hinge small cavity: bottom

# Main oven additional features

- EasyClean
- 1 Clip rail, Stop function
- Cavity (inner surface) bottom: enamel anthracite
- Oven with 4 heating methods: Top/bottom heat, Full surface grill, Small area grill, Bottom heat
- $\bullet$  Temperature range 50 °C 275 °C
- 3 x combination grid, 1 x universal pan

#### Performance/technical information

- Nominal voltage: 220 240 V
- Appliance dimension (hxwxd): 888 mm x 594 mm x 550 mm
- $\bullet$  Please refer to the dimensions provided in the installation manual



# N 50, BUILT-IN DOUBLE OVEN U1ACE2HNOB

# JIACE2HN0B



