

N 30, BUILT-IN DOUBLE OVEN
U1CHCOANOB



A



Optional accessories

Z11AB15A0	Baking tray, non-stick ceramic coated
Z11AU15A0	Universal pan, non-stick ceramic coated
Z11CR10X0	Baking and roasting grid (standard)
Z11GT10X3	Glass roasting dish, 5,4l
Z11GU20X0	Glasspan
Z11TF36X0	3 level telescopic rails, full ext
Z11TI15X0	Cliprails
Z12CL10A0	Lid for professional pan, enamelled
Z12CN10A0	Professional pan, enamelled
Z13CR10X0	Baking and roasting grid (steam)
Z1913X0	Baking Stone

Double built-in oven - perfect for grilling, baking and roasting of multiple dishes at the same time.

- ✓ LED-Display - simple, straightforward for clear reading
- ✓ CircoTherm® - Smart hot-air solution that lets you bake on up to three levels at once.

Features

Technical Data

Built-in / Free-standing: Built-in
 Integrated Cleaning system: No
 Dimensions: 888 x 594 x 550 mm
 Dimensions of the packed product (HxWxD): . 960 x 660 x 690 mm
 Control Panel Material: Stainless steel
 Door Material: Glass
 Net weight: 48.9 kg
 Usable volume of cavity: 76 l
 Cooking method: Hotair gentle, Hot Air
 Oven control: mechanical
 Number of interior lights: 1
 EAN code: 4242004234166
 Energy efficiency rating: A
 Energy consumption per cycle forced air convection
 (2010/30/EC): 0.83 kWh/cycle
 Energy efficiency class (2010/30/EC) - cavity 2: B
 Energy consumption per cycle conventional - cavity 2
 (2010/30/EC): 0.83 kWh/cycle
 Energy efficiency index (2010/30/EC): 95.4 %
 Energy efficiency index cavity 2 (2010/30/EC): 120.3 %
 Connection Rating: 4800 W
 Fuse protection: 25 A
 Voltage: 220-240 V
 Frequency: 50 Hz
 Plug type: no plug
 (electrical connection by electrician), fixed connection (electrical connection by electrician)
 Included accessories cavity 1: ... 3 x combination grid, 1 x universal pan



N 30, BUILT-IN DOUBLE OVEN U1CHCOANOB

Features

Design

- Elongated designed dials, Retractable control dials, Bevelled oval controls
- LED Display (Red)
- Interior halogen light
- Bar handle

Features

- Automatic start
- Heating up indicator
- Control panel lock

Top oven additional features

- Cavity volume: 34 Litre
- Cavity (inner surface) top: Enamel grey
- Full glass inner door
- Door hinge small cavity: bottom

Main oven additional features

- Cavity volume: 76 l
- Cavity (inner surface) bottom: enamel anthracite
- Door hinge big cavity: Drop down door

Top oven

- Oven with 3 heating methods: Top/bottom heat, Full surface grill, Small area grill

Main oven

- Oven with 2 heating methods: CircoTherm®, CircoTherm® gentle
- Temperature range 50 °C - 275 °C

Accessories

- 3 x combination grid, 1 x universal pan

Technical information

- Nominal voltage: 220 - 240 V
- Total connected load electric: 4.8 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): B(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode:0.83 kwh
- Number of cavities: Top Cavity Heat source: electrical
- Energy efficiency rating (acc. EU Nr. 65/2014): B(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode:0.83 kWh
- Energy consumption per cycle in fan-forced convection mode:0.83 kWh
- Number of cavities: Main Cavity Heat source: electrical
- Appliance dimension (hxwxd): 888 mm x 594 mm x 550 mm
- Niche dimension (hxwxd): 875 mm - 888 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

N 30, BUILT-IN DOUBLE OVEN
U1CHCOANOB

Dimensioned drawings

measurements in mm

