

N 30, BUILT-IN DOUBLE OVEN  
U1GCC0AN0B



A

Double built-in oven - perfect for grilling, baking and roasting of multiple dishes at the same time.

✓ LED-Display - simple, straightforward for clear reading

Features

Technical Data

Built-in / Free-standing: ..... Built-in  
 Integrated Cleaning system: ..... No  
 Dimensions: ..... 888 x 594 x 550 mm  
 Dimensions of the packed product (HxWxD): . 960 x 660 x 690 mm  
 Control Panel Material: ..... Stainless steel  
 Door Material: ..... Glass  
 Net weight: ..... 49.7 kg  
 Usable volume of cavity: ..... 71 l  
 Cooking method: ..... Full width grill, Hotair gentle, Hot Air, Conventional heat, Hot air grilling  
 Oven control: ..... mechanical  
 Number of interior lights: ..... 1  
 EAN code: ..... 4242004234173  
 Energy efficiency rating: ..... A  
 Energy consumption per cycle conventional (2010/30/EC): 1.02 kWh/cycle  
 Energy consumption per cycle forced air convection (2010/30/EC): ..... 0.81 kWh/cycle  
 Energy efficiency class (2010/30/EC) - cavity 2: ..... B  
 Energy consumption per cycle conventional - cavity 2 (2010/30/EC): ..... 0.83 kWh/cycle  
 Energy efficiency index (2010/30/EC): ..... 95.3 %  
 Energy efficiency index cavity 2 (2010/30/EC): ..... 120.3 %  
 Connection Rating: ..... 5900 W  
 Fuse protection: ..... 32 A  
 Voltage: ..... 220-240 V  
 Frequency: ..... 50 Hz  
 Plug type: ..... no plug (electrical connection by electrician), fixed connection (electrical connection by electrician)  
 Included accessories cavity 1: ... 3 x combination grid, 1 x universal pan



Optional accessories

Z1913X0 Baking Stone, Z11AB15A0 Baking tray, non-stick ceramic coated, Z11AU15A0 Universal pan, non-stick ceramic coated, Z11CR10X0 Baking and roasting grid (standard), Z11GT10X3 Glass roasting dish, 5,4l, Z11GU20X0 Glasspan, Z11TI15X0 Cliprails, Z12CB10A0 Baking tray, enamelled, Z12CL10A0 Lid for professional pan, enamelled, Z12CN10A0 Professional pan, enamelled, Z12CP10A0 Pizza pan, enamelled, Z12CU10A0 Multipurpose pan, enamelled, Z1365WX0 Wireless food thermometer, Z13CR10X0 Baking and roasting grid (steam), Z1608BX0 Full ext rails, level independent, Z1650BE0 Half tray, Z1655CA0 Air Fry & Grill tray

N 30, BUILT-IN DOUBLE OVEN  
U1GCC0AN0B

Features

- LED Display (Red)
- Interior halogen light

Features

- Control panel lock

Top oven additional features

- Cavity volume: 34 Litre
- Cavity (inner surface) top: Enamel grey
- Full glass inner door
- Door hinge small cavity: bottom

Main oven additional features

- Cavity (inner surface) bottom: enamel anthracite
- Door hinge big cavity: Drop down door
- Oven with 3 heating methods: Top/bottom heat, Full surface grill, Small area grill
- Temperature range 50 °C - 275 °C
- Oven with 5 heating methods: CircoTherm®, Top/bottom heat, Circo-roasting, Full surface grill, CircoTherm® gentle
- 3 x combination grid, 1 x universal pan

Performance/technical information

- Nominal voltage: 220 - 240 V
- Appliance dimension (hxxwxd): 888 mm x 594 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

N 30, BUILT-IN DOUBLE OVEN  
U1GCCOANOB

Dimensioned drawings

measurements in mm

