


N 50, BUILT-IN DOUBLE OVEN
U2ACH7AG7B



- ✓ CircoTherm® – Smart hot-air solution that lets you bake on up to three levels at once.
- ✓ Dual cleaning options: Pyrolytic cleaning programmes - just let the oven interior clean itself. EasyClean - the quick and easy option for day to day maintenance.
- ✓ LCD-Display – simple, straightforward with large characters for clear reading
- ✓ Home Connect - Control your oven via the App.
- ✓ Remote Monitoring and Control: check-up on your oven, from any room in the house!

Features

Technical Data

Built-in / Free-standing: Built-in
 Integrated Cleaning system: Pyrolytic
 Dimensions: 888x594x550 mm
 Dimensions of the packed product (HxWxD):960x660x690 mm
 Control Panel Material: Glass
 Door Material: Glass
 Net weight: 58.6 kg
 Usable volume of cavity: 71 l
 Cooking method: Bread Baking Setting, Full width grill, Hotair gentle, Hot Air, Conventional heat, Pizza setting, Bottom heat, Hot air grilling
 EAN code:4242004281801
 Energy efficiency rating: A
 Energy consumption per cycle conventional (2010/30/EC): 1.02 kWh/cycle
 Energy consumption per cycle forced air convection (2010/30/EC): 0.81 kWh/cycle
 Energy efficiency class (2010/30/EC) - cavity 2: B
 Energy consumption per cycle conventional - cavity 2 (2010/30/EC): 0.83 kWh/cycle
 Energy efficiency index (2010/30/EC):95.3 %
 Energy efficiency index cavity 2 (2010/30/EC): 120.3 %
 Connection Rating:6300 W
 Fuse protection:32 A
 Voltage:220-240 V
 Frequency:50 Hz
 Plug type: no plug (electrical connection by electrician), fixed connection (electrical connection by electrician)
 Included accessories:3 x combination grid, 1 x universal pan

Included accessories

3 x combination grid, 1 x universal pan

Optional accessories

| | |
|-----------|-------------------------------------|
| Z11CR10X0 | Baking and roasting grid (standard) |
| Z11TI15X0 | Cliprails |
| Z1365WX0 | Wireless food thermometer |
| Z1608BX0 | Full ext rails, level independent |
| Z1650BE0 | Half tray |
| Z1655CA0 | Air Fry & Grill tray |



N 50, BUILT-IN DOUBLE OVEN U2ACH7AG7B

Features

Features

- Heating methods only via Home Connect App: let rest, preheating
- Temperature range 30 °C - 275 °C
- Cavity volume: 71 litre

Level independent telescopic rails

- 4 shelf positions
- Available as an accessory

Design

- Graphite-Grey Edition
- Elongated designed dials, Retractable control dials, Bevelled oval controls With steel trim
- Cavity inner surface: enamel anthracite

Cleaning

- Pyrolytic cleaning
- EasyClean
- Full glass inner door

Programmes/functions

- LCD-display control (white)
- Electronic clock timer
- Temperature proposal
- Actual temperature display
- Heating up indicator
- Automatic start
- Bar handle
- Rapid heat
- Interior halogen light, On/off button
- Cooling fan
- HomeConnect ready on WLAN

Accessories

- 3 x combination grid, 1 x universal pan

Features

- 30 °C - Very low door temperature
- Quadruple glazed door glazed CoolTouch door
- Door lock during pyrolytic cleaning
- Control panel lock
- Automatic safety switch off
- Residual heat indicator
- Door contact switch

Technical information

- Nominal voltage: 220 - 240 V
- Total connected load electric: 6.3 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): A
- Energy consumption per cycle in conventional mode: 1.02 kWh
- Energy consumption per cycle in fan-forced convection mode: 0.81 kWh
- Number of cavities: Main cavity
- Heat source: electrical

- Cavity volume: 71 litre

Performance/technical information

- Appliance dimension (hxwx): 888 mm x 594 mm x 550 mm
- Niche dimension (hxwx): 875 mm - 888 mm x 560 mm - 568 mm x 550 mm
- "For-details-on-installation-and-ventilation requirements – please refer to the installation manual prior to fitting."
- We recommend you to choose complementary products within N50, in order to assure an optimal design combination of your Built-In appliances.

N 50, BUILT-IN DOUBLE OVEN
U2ACH7AG7B

Dimensioned drawings

measurements in mm

