


CLEAN AIR PLUS RECIRCULATION KIT, INITIAL
EQUIPMENT
Z51DX1X6



Recirculation kit with CleanAir Plus high performance filters:
Cleans the air effectively from odours and pollen.

✓ Clean Air Plus odour filter – The recirculation filter absorbs a very high amount of kitchen aromas and an extremely high amount of allergy causing pollen.

Features

Technical Data

Dimensions of the packed product (HxWxD):295x300x400 mm
Pallet dimensions:105.0 x 80.0 x 120.0
Standard number of units per pallet: 24
Net weight: 1.5 kg
Gross weight:2.7 kg
EAN code:4242004244806



CLEAN AIR PLUS RECIRCULATION KIT, INITIAL
EQUIPMENT
Z51DX1X6


Features

Optional accessories

- For recirculation operation
- Combined with wall chimney hoods
- Odour reduction > 90%
- Lifetime of CleanAir Plus odour filter 12-18 months
- Anti-fish functionality: Especially treated against fish smell
- Anti-pollen functionality: The filter retains 99% of airborne pollen and deactivates allergens which are retained by the filter.
- Integrated design: Integrated Clean Air Plus recirculation kit is installed not visibly within the chimney. Installation is possible at different heights.
- Consisting of filter holder, Clean Air Plus active carbon filter, flexible hose, 2 hose clamps and mounting material


CLEAN AIR PLUS RECIRCULATION KIT, INITIAL
EQUIPMENT
Z51DX1X6

Dimensioned drawings



measurements in mm


Socket only outside
the marked area



Installation with
circulating
air slits
downwards.


measurements
in mm

Socket only outside
the marked area



measurements
in mm

Installation
with inner channel



measurements in mm