

*N 30, BUILT-IN OVEN, 60 X 60 CM, STAINLESS
STEEL
B1GCC0AN0B*



Included accessories

1 x combination grid, 1 x universal pan

Optional accessories

Z11AB15A0 Baking tray, non-stick ceramic coated, Z11AU15A0 Universal pan, non-stick ceramic coated, Z11CR10X0 Baking and roasting grid (standard), Z11GU20X0 Glasspan, Z11TI15X0 Cliprails, Z12CB10A0 Baking tray, enamelled, Z12CL10A0 Lid for professional pan, enamelled, Z12CN10A0 Professional pan, enamelled, Z12CP10A0 Pizza pan, enamelled, Z12CU10A0 Multipurpose pan, enamelled, Z1365WX0 Wireless food thermometer, Z13CR10X0 Baking and roasting grid (steam), Z13CV05S0 Cover Strip, Z1608BX0 Full ext rails, level independent, Z1650BE0 Half tray, Z1655CA0 Air Fry & Grill tray, Z1913X0 Baking Stone

✓ CircoTherm® – Smart hot-air solution that lets you bake on up to three levels at once.

✓ LED-Display - simple, straightforward for clear reading

Features

Technical Data

Built-in / Free-standing: Built-in
Integrated Cleaning system: No
Required niche size for installation (HxWxD): 585-595 x 560-568 x 550 mm
Dimensions: 595x594x548 mm
Dimensions of the packed product (HxWxD):675x660x690 mm
Control Panel Material:Stainless steel
Door Material: Glass
Net weight: 32.3 kg
Usable volume (of cavity) - cavity 1: 71 l
Cooking method: Full width grill, Hotair gentle, Hot Air, Conventional heat, Hot air grilling
Length electrical supply cord: 120 cm
EAN code:4242004234036
Number of cavities (2010/30/EC): 1
Energy efficiency rating: A
Energy consumption per cycle conventional (2010/30/EC): 0.97 kWh/cycle
Energy consumption per cycle forced air convection (2010/30/EC): 0.81 kWh/cycle
Energy efficiency index (2010/30/EC):95.3 %
Connection Rating: 2990 W
Fuse protection: 13 A
Voltage: 220-240 V
Frequency: 50; 60 Hz
Plug type: no plug (electrical connection by electrician)
Included accessories: 1 x combination grid, 1 x universal pan



4 242004 234036

*N 30, BUILT-IN OVEN, 60 X 60 CM, STAINLESS
STEEL
B1GCC0AN0B*

Features

Design

- LED Display (Red)
- Cavity inner surface: enamel anthracite

Features

- Control panel lock
- Interior halogen light

Cleaning

Programmes/functions

- Cooling fan

Accessories



- 1 x combination grid, 1 x universal pan

Performance/technical information


- Energy efficiency rating (acc. EU Nr. 65/2014): A
- Energy consumption per cycle in conventional mode: 0.97 kWh
- Energy consumption per cycle in fan-forced convection mode: 0.81 kWh
- Number of cavities: Main cavity
- Heat source: electrical
- Cavity volume: 71 litre
- Total connected load electric: 2.99 KW
- 120 cm Cable length
- Nominal voltage: 220 - 240 V
- Appliance dimension (h x w x d): 595 mm x 594 mm x 548 mm
- Niche dimension (h x w x d): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Ventilation requirements – please refer to the installation manual prior to fitting

*N 30, BUILT-IN OVEN, 60 X 60 CM, STAINLESS
STEEL
B1GCC0AN0B*

Dimensioned drawings




Measurements in mm



A: 19.5 mm

B: Space for appliance connection 320 x 115 mm

Installation with a hob.



Min. distance:
Induction hob: 5 mm
Gas hob: 5 mm
Electric hob: 2 mm