


N 50, BUILT-IN OVEN, 60 X 60 CM, STAINLESS  
STEEL  
B4ACM5HH0B



#### Included accessories

1 x enamel baking tray, 1 x combination grid, 1 x universal pan

#### Optional accessories

Z11AB15A0 Baking tray, non-stick ceramic coated, Z11AU15A0 Universal pan, non-stick ceramic coated, Z11CB10E0 Baking tray, enamelled, Z11CR10X0 Baking and roasting grid (standard), Z11CU10E0 Multipurpose pan, enamelled, Z11GT10X3 Glass roasting dish, 5,4l, Z11TE25X0 2 level telescopic shelf rails, Z11TF25X0 2 level telescopic shelf rails, full ext, Z11TF36X0 3 level telescopic rails, full ext, Z11TI15X0 Cliprails, Z11TJ25X0 2 level telescopic rails incl 1VarioClip, Z11TJ35X0 3 level telescopic rails incl 1VarioClip, Z1352X0 Pizza pan, enamelled, Z13CR10X0 Baking and roasting grid (steam), Z13CV05S0 Cover Strip, Z1913X0 Baking Stone, Z19DD10X0 Steam set for ovens

Built-in oven with Slide&Hide® - unrestricted access to the oven interior

- ✓ Slide&Hide® – The fully disappearing oven door with rotating handle.
- ✓ CircoTherm® – Smart hot-air solution that lets you bake on up to three levels at once.
- ✓ Eco Clean with Base Clean - the duo that makes oven cleaning easier
- ✓ LCD-Display – simple, straightforward with large characters for clear reading
- ✓ Home Connect – Unleash your creativity via app.

#### Features

##### Technical Data

Built-in / Free-standing: ..... Built-in  
Integrated Cleaning system: ..... EcoClean programme  
Required niche size for installation (HxWxD): 585-595 x 560-568 x 550 mm  
Dimensions: ..... 595x594x548 mm  
Dimensions of the packed product (HxWxD): . 675 x 660 x 690 mm  
Control Panel Material: ..... Glass  
Door Material: ..... Glass  
Net weight: ..... 35.4 kg  
Usable volume (of cavity) - cavity 1: ..... 71 l  
Cooking method: ..... Bread Baking Setting, Full width grill, Hotair gentle, Hot Air, Conventional heat, Pizza setting, Bottom heat, Hot air grilling  
First cavity material: ..... Other  
Oven control: ..... electronic  
Length electrical supply cord: ..... 120.0 cm  
EAN code: ..... 4242004245490  
Number of cavities (2010/30/EC): ..... 1  
Energy efficiency rating: ..... A  
Energy consumption per cycle conventional (2010/30/EC): 1.04 kWh/cycle  
Energy consumption per cycle forced air convection (2010/30/EC): ..... 0.81 kWh/cycle  
Energy efficiency index (2010/30/EC): ..... 95.3 %  
Connection Rating: ..... 2990 W  
Fuse protection: ..... 13 A  
Voltage: ..... 220-240 V  
Frequency: ..... 50; 60 Hz  
Plug type: ..... no plug (electrical connection by electrician)  
Included accessories: ..... 1 x enamel baking tray, 1 x combination grid, 1 x universal pan



## N 50, BUILT-IN OVEN, 60 X 60 CM, STAINLESS STEEL B4ACM5HH0B

### Features

#### Design

- LCD-Display Control (white)
- Bevelled oval controls, Retractable controls dials, oval
- Slide&Hide® with rotating handle
- Cavity inner surface: enamel grey
- 4 shelf positions

#### Features

- HomeConnect ready on WLAN
- Control panel lock
- Automatic safety switch off Residual heat indicator Door contact switch
- Temperature proposal
- Actual temperature display Heating up indicator Automatic start meat probe
- Single-point meat probe
- Interior halogen light, On/off button

#### Cleaning

- EcoCleanDirect : ceiling, back panel, side liners
- EcoClean programme, Base Clean programme
- Full glass inner door

#### Programmes/functions

- Oven with 8 cooking functions: heating methods: CircoTherm®, Top/bottom heat, Circo-roasting, Full surface grill, CircoTherm® intensive, Bread baking, Bottom heat, CircoTherm® gentle
- Rapid heat
- Cooling fan

#### Accessories

- 1 Clip rail, Stop function
- 1 x enamel baking tray, 1 x combination grid, 1 x universal pan

#### Performance/technical information

- Energy efficiency rating (acc. EU Nr. 65/2014): A
- Energy consumption per cycle in conventional mode: 1.04 kWh
- Energy consumption per cycle in fan-forced convection mode: 0.81 kWh
- Number of cavities: Main cavity Heat source: electrical Cavity volume: 71 litre
- Total connected load electric: 2.99 KW
- 120 cm Cable length
- Nominal voltage: 220 - 240 V
- Appliance dimension (h x w x d): 595 mm x 594 mm x 548 mm
- Niche dimension (h x w x d): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual


N 50, BUILT-IN OVEN, 60 X 60 CM, STAINLESS  
STEEL  
B4ACM5HH0B

Dimensioned drawings

If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.


| Hob type                   | min. worktop thickness |       |
|----------------------------|------------------------|-------|
|                            | fitted                 | flush |
| Induction hob              | 37 mm                  | 38 mm |
| Full surface Induction hob | 47 mm                  | 48 mm |
| Gas hob                    | 30 mm                  | 38 mm |
| Electric hob               | 27 mm                  | 30 mm |

Measurements in mm




A: 19.5 mm

B: Space for appliance connection 320 x 115 mm




measurements in mm



measurements in mm

## Dimensioned drawings

### Installation with a hob.



measurements in mm