

N 90, BUILT-IN COMPACT OVEN WITH MICROWAVE FUNCTION, 60 X 45 CM, GRAPHITE-GREY C24MS31G0B



Included accessories

1 x combination grid, 1 x universal pan

Optional accessories

Z11AB15A0 Baking tray, non-stick ceramic coated, Z11AU15A0 Universal pan, non-stick ceramic coated, Z11CR10X0 Baking and roasting grid (standard), Z11GU20X0 Glasspan, Z11SZ00X0 SeamlessCombination mounting kit, Z11SZ60G0 SeamlessCombination 45 + 14cm, Z11SZ90G0 SeamlessCombination 60 + 45cm, Z12CB10A0 Baking tray, enamelled, Z12CM10A0 Moussaka pan, enamelled, Z12CP10A0 Pizza pan, enamelled, Z12CU10A0 Multipurpose pan, enamelled, Z13CR10X0 Baking and roasting grid (steam), Z13CV05S0 Cover Strip, Z13CV06S0 Decor strip, Z1650BE0 Half tray, Z1655CA0 Air Fry & Grill tray, Z1913X0 Baking Stone

Compact built-in oven with microwave - to cook quickly and conveniently in a very small space. Home Connect for control via the App.

- $\sqrt{4.1\text{-inch}}$ Full Touch TFT Display: easy, intuitive menu for smart and enjoyable cooking.
- $\sqrt{}$ Inverter Technology: gradual, even heating for your meals.
- $\sqrt{}$ Combined microwave and oven the convenient solution to save space and time
- $\sqrt{\ }$ Eco Clean with Easy Clean: the perfect cleaning partnership.
- $\sqrt{}$ Soft Close with Soft Opening the damping system cushions the door for gentle opening and closing. *Model featured has drop down door*

Features

Technical Data

Type of micro-wave oven:	MW-Combi	
Type of control:	Electronic	
Dimensions:	455x596x548 mm	
Cavity dimensions:	237 x 480 x 392 mm	
Length electrical supply cord:	150 cm	
Net weight:	33.5 kg	
Gross weight:		
EAN code:	4242004266501	
Maximum micro-wave power:	900 W	
Connection Rating:	3600 W	
Fuse protection:	16 A	
Voltage:		
Frequency:		
Plug type:	no plug	
(electrical connection by electrician)		
Included accessories: 1 x combination	grid, 1 x universal pan	





N 90, BUILT-IN COMPACT OVEN WITH MICROWAVE FUNCTION, 60 X 45 CM, GRAPHITE-GREY C24MS31G0B

Features

- Compact oven with microwave with 21 heating methods:
 Top/bottom heat, Full surface grill, Centre surface grill, Bread baking, Bottom heat, Low temperature cooking, Dough proving, Plate warming setting, Keep warm, Conventional heat gentle, Microwave, 4D Hot air, Conventional heat, Full width grill, Half width grill, Hot air grilling
- Intelligent microwave inverter technology: For optimised results maximum output power will be regulated to 600 W when used in longer operation for gentler cooking.

Design

- Graphite-Grey Edition
- Touch control With Steel Trim
- Cavity inner surface: enamel anthracite

Features

- HomeConnect ready on WLAN
- Oven Assistant with Voice Control
- Control panel lock
- Automatic safety switch off
- Residual heat indicator
- Start button
- Door contact switch

Programmes/functions

- Temperature range 30 °C 230 °C
- Max. Power: 900 W; 5 Microwave power settings (90 W,180 W,360 W,600 W, boost) with Inverter (MW)
- LED light, On/off button
- Electronic clock timer
- Drop down door, SoftClose, soft opening
- Heat reflective glass
- Triple glazed door glazed CoolTouch door
- Temperature proposal
- Actual temperature display
- Heating up indicator
- cookControl Plus
- Rapid heat
- Cooling fan
- Stainless-steel fan

Level independent telescopic rails

• 3 shelf positions

Cleaning

- EcoCleanDirect : back panel
- EasyClean

Accessories

• 1 x combination grid, 1 x universal pan


Performance/technical information

• 150 cm Cable Cable length

- Nominal voltage: 220 240 V
- Total connected load electric: 3.6 KW
- Cavity volume: 45 litre
- Appliance dimension (hxwxd): 455 mm x 596 mm x 548 mm
- Niche dimension (hxwxd): 450 mm 455 mm x 560 mm 568 mm x 550 mm
- Ventilation requirements please refer to the installation manual prior to fitting




N 90, BUILT-IN COMPACT OVEN WITH MICROWAVE FUNCTION, 60 X 45 CM, GRAPHITE-GREY C24MS31G0B





Dimensioned drawings

Installation with a hob.



measurements in mm

If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into acccount.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface Induction hob	52 mm	53 mm
Gas hob	32 mm	43 mm
Electric hob	32 mm	35 mm