

N 50, BUILT-UNDER FREEZER, 82 X 59.8 CM, FLAT HINGE GU7212FEOG









Included accessories

1 x ice cube tray

Optional accessories

KFZ10AX0 Door panel with decor frame KU1213Z0 Attachment door, stainless steel Built-under freezer with No Frost and Door Alarm for convenient and worry-free freezing where space is limited.

- $\sqrt{\mbox{ No Frost}}$ No more defrosting your freezer.
- $\sqrt{\mbox{ Home Connect}}$ Add your smart fridge to your home network and stay connected to your kitchen.

Features

Technical Data	
Energy Efficiency Class ¹ :	
Average annual energy consumption in kilowat	' '
(kWh/a):	
Sum of volume of frozen compartments:	
Airborne acoustical noise emissions :	
Airborne acoustical noise emission class:	B
Thermometer freeze section:	Not applicable
Light:	No
Product category:	Upright freezer
Built-in / Free-standing:	Built-in
Frost free system:	Fridge and freezer
Height of the appliance:	820 mm
Width of the appliance:	598 mm
Depth:	548 mm
Required niche size for installation (HxWxD):	820x600x550 mm
Dimensions of the packed product (HxWxD):	890x655x625 mm
Net weight:	30.7 kg
Gross weight:	33.5 kg
Fuse protection:	10 Ā
Frequency:	50 Hz
Length electrical supply cord:	230 cm
Door hinge:	
Defrost:	Automatic
Warning signal / malfunction:	Visual
Door lock:	No
Number of drawers/baskets (Stck):	3
Number of freezing flaps (Stck):	0
EAN code:	4242004272052
Brand:	Neff
Product name / Commercial code:	GU7212FE0G
Product category:	
Included accessories:	
	Í



¹ Scale of Energy Efficiency Classes from A to G



N 50, BUILT-UNDER FREEZER, 82 X 59.8 CM, FLAT HINGE GU7212FE0G

Features

Performance and Consumption

• EU19_EEK_D: E
• Total Volume : 85 I

• Annual Energy Consumption: 189 kWh/a

• Climate Class: SN-T • Noise Level : 35 dB

Functions

Design features

- Full frost free, never have to defrost ever again
- Electronic control (LED chain)
- Economy setting, Sabbath-Mode
- Freezer malfunction warning signal: optical and acoustical
- SuperFreeze functions with automatic deactiviation
- Home Connect: Remote diagnostics, Remote Monitoring and Control
- Easy clean interior

Food freshness system

- Net Freezer Volume : 85 l
- 3 freezer drawers
- Temperature rise time : EU19_Temperature rise time_D: 9 H
- $\bullet \ {\sf EU19_Fast} \ {\sf freezer} \ {\sf facility_D: yes}$
- Freezing capacity 24h : 8 kg
- Ice box

Key features - Fridge section

- Right hinged door, reversible
- Fully Integrated
- Ventilation through plinth
- Length of power cord:230 cm
- 220 240 V

Dimension and installation

- • Niche Dimensions: 82 cm H x 60 cm W x 55 cm D
- Dimensions: 82 cm H x 59.8 cm W x 54.8 cm D

Key features - Feezer section

• GU7212FE0G

Country Specific Options

• Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.


Additional features



N 50, BUILT-UNDER FREEZER, 82 X 59.8 CM, FLAT HINGE GU7212FE0G


Dimensioned drawings


measurements in mm Recommended gap dimensions for flat hinges




R	X
0-3	2.5
0-1	3
2-3	2.5
0-1	3
2-3	2.5
0	4
1	3.5
2-3	3
	0-3 0-1 2-3 0-1 2-3 0

The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.










Dimensioned drawings

Maximal permissible weight of the unit fronts



Fitted unit fronts that exceed the permissible weight may cause damage and result in functional impairment of the hinges

A: Weight ≤ 12 kg