

N 30, BUILT-IN MICROWAVE, BLACK HLAWG25S3B



Optional accessories

HEZG9AS00S Adapter

Built-in microwave for upper cabinets

- ✓ Microwave - high wattage and low effort for quick meals
- ✓ Side-opening hinged door - A smart twist for the elevated installation.
- ✓ Easy Clean – easy cleaning within a couple of minutes
- ✓ LED-Display - simple, straightforward for clear reading
- ✓ Control Dials & One-Touch Buttons – select the right programme using your intuition

Features

Technical Data

Type of micro-wave oven: MW only
 Type of control: Electronic
 Dimensions: 382x495x335 mm
 Cavity dimensions: 180 x 280 x 300 mm
 Length electrical supply cord: 130 cm
 Net weight: 14.0 kg
 Gross weight: 16.6 kg
 EAN code: 4242004262848
 Maximum micro-wave power: 800 W
 Connection Rating: 1270 W
 Fuse protection: 10 A
 Voltage: 230-240 V
 Frequency: 50 Hz
 Plug type: GB plug



N 30, BUILT-IN MICROWAVE, BLACK HLAWG25S3B

Features

Design

- LED display, red
- Electronic clock timer
- Bevelled oval controls, Membrane keys, Start button With Steel Trim
- User-friendly electronics: extremely easy and comfortable operation
- Cavity inner surface: lacquered grey
- Left hinged door
- Open door button

Features

- Quick Start Button: one tap to maximum microwave power for 30 seconds
- Favourite button for individual settings (1 setting)
- Control panel lock
- Automatic safety switch off
- Door contact switch
- Cooling fan
- LED light
- 27 cm Glass turntable

Cleaning

- EasyClean

Programmes/functions

- 90-180-360-600-800 Watts and the following options: 180 W, 360 W, 600 W, 800 W, 90 W
- Number of automatic programmes: 7 PC
- 4 defrost and 3 cooking programmes in microwave function

Technical information

- Cavity volume: 20 l
- 130 cm Cable length
- Total connected load electric: 1.27 KW
- Nominal voltage: 230 - 240 V
- Builds into a 50cm wide wall cupboard. Trim included.

Performance/technical information

- Appliance dimension (h x w x d): 382 mm x 495 mm x 335 mm
- Niche dimension (h x w x d): 362 mm - 365 mm x 460 mm - 468 mm x 320 mm
- Ventilation requirements – please refer to the installation manual prior to fitting

