

N 70, built-in fridge, 177.5 x 56 cm
KI1813F30G



COOKING PASSION SINCE 1877



This built-in refrigerator with VarioShelf and many other convenient features keeps food fresh up to twice as long.

- ✓ FreshSafe 2: High humidity and a temperature of +4°C mean that nutrients are retained.
- ✓ FreshSafe: Stores your fruit and vegetables safely
- ✓ EasyAccess Shelf: Provides better organization, with a clearer view and better access to foods.
- ✓ VarioShelf: The glass shelf can be divided and one half pushed beneath the other, for flexible interior configurations.
- ✓ Adjustable Glass Shelves – Height adjustable shelves create the space you need for inspiring dishes in your fridge

Features

Technical Data

Built-in / Free-standing : Built-in
Door panel options : Not possible
Height (mm) : 1772
Width of the appliance : 558
Depth (mm) : 545
Required niche size for installation (HxWxD) : 1775.0 x 560 x 550
Net weight (kg) : 67.184
Connection Rating (W) : 90
Current (A) : 13
Door hinge : Right reversible
Voltage (V) : 220-240
Frequency (Hz) : 50
Approval certificates : CE, G-Mark, VDE
Length electrical supply cord (cm) : 230
Number of compressors : 1
Number of independent cooling systems : 1
Interior ventilator : Yes
Reversible Door Hinge : Yes
Number of Adjustable Shelves in fridge compartment : 6
Shelves for Bottles : Yes
EAN code : 4242004164999
Brand : Neff
Product name / Commercial code : KI1813F30G
Product category : Refrigerator
Energy efficiency rating : A++
Energy consumption annual (kWh/annum) - NEW (2010/30/EC) : 116.00
Refrigerator Net capacity (l) - NEW (2010/30/EC) : 319
Freezer Net capacity (l) - NEW (2010/30/EC) : 0
Frost free system : No
Freezing capacity (kg/24h) - NEW (2010/30/EC) : 0
Noise level (dB(A) re 1 pW) : 37
Climate class : SN-T
Installation typology : Full-integrated



4 242004 164999

N 70, built-in fridge, 177.5 x 56 cm
KI1813F30G



COOKING PASSION SINCE 1877

Features

Performance and Consumption

- Energy consumption: 116 kWh kWh/yr.
- Total net capacity: 319 litres
- Noise level dB(A) re 1 pW: 37

Design features

- LED Electronic control
- Right hinged door, reversible

Food freshness system

- vitaControl - constant temperature by intelligent sensor technology - Constant temperature control by intelligent sensor technology
- Single cooling circuit

Key features - Fridge section




- 1 FreshSafe 2 drawer on telescopic rails; High humidity retains nutrients up to twice as long.
- 1 FreshSafe drawer on rails - The ideal place to store your fruit and vegetables safely.
- Wine rack
- Bright interior LED fridge light
- SuperCool function with automatic deactivation
- Acoustic door open warning indicator
- 7 safety glass shelves (6 height adjustable)
- Vario shelf - useful storage when required
- Easy access shelf - easy access and everything in sight
- 6 door trays, including 1x dairy compartment
- 2 x egg tray

Dimension and installation


- Easy Installation
- Connection value 90 W
- Dimensions: 177.2 cm H x 55.8 cm W x 54.5 cm D
- Niche Dimensions: 177.5 cm H x 56 cm W x 55 cm D
- Climate class SN-T (suitable for ambient temperatures between 10 to 43°C)
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

N 70, built-in fridge, 177.5 x 56 cm
KI1813F30G

Dimensioned drawings




Maximal permissible weight of the unit fronts



Fitted kitchen unit doors that exceed the permissible weight may cause damage and result in functional impairment of the hinges.

T: Includes height of appliance door	undamped hinge,	damped hinge,
Hinges in mm:	Door in kg:	Door in kg:
1500-1750	22	22

measurements in mm
Recommended gap dimensions for flat hinges



F	R	X
16-19	0-3	2.5
20	0-1	3
	2-3	2.5
21	0-1	3
	2-3	2.5
22	0	4
	1	3.5
	2-3	3

The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.