


*N 50, BUILT-IN FRIDGE-FREEZER WITH FREEZER  
AT BOTTOM, 177.2 X 54.1 CM, FLAT HINGE  
K15872F30G*



Optional accessories

KS9E0FZ0 Package Neff FlexCooling  
Z10020 Bottle Rack

This built-in combination refrigerator/freezer is the perfect place to store fruit and vegetables with very low energy consumption.

- ✓ Fresh Safe – Fridge drawer for dedicated fresh fruit and veg storage.
- ✓ Low Frost – Reduces frost in the freezer compartment for faster defrosting
- ✓ Adjustable Glass Shelves – Height adjustable shelves create the space you need for inspiring dishes in your fridge
- ✓ Our safety glass shelves happily shoulder generous loads of delicacies in your fridge
- ✓ Vario Zone – Personalise your drawers with various loading options to find the perfect fit.

Features

Technical Data

Built-in / Free-standing: ..... Built-in  
Door panel options: ..... Not possible  
Height: ..... 1772 mm  
Width of the appliance: ..... 541 mm  
Depth: ..... 545 mm  
Required niche size for installation (HxWxD): ... 1775x560x550 mm  
Net weight: ..... 68.7 kg  
EAN code: ..... 4242004188995  
Connection Rating: ..... 90 W  
Fuse protection: ..... 13 A  
Door hinge: ..... Right reversible  
Voltage: ..... 220-240 V  
Frequency: ..... 50 Hz  
Length electrical supply cord: ..... 230 cm  
Number of compressors: ..... 1  
Number of independent cooling systems: ..... 1  
Interior ventilator: ..... No  
Reversible Door Hinge: ..... Yes  
Number of Adjustable Shelves in fridge compartment: ..... 4  
Shelves for Bottles: ..... No  
Frost free system: ..... Not applicable  
Installation typology: ..... Full-integrated



*N 50, BUILT-IN FRIDGE-FREEZER WITH FREEZER  
AT BOTTOM, 177.2 X 54.1 CM, FLAT HINGE  
KI5872F30G*

## Features

### Performance and Consumption

- Energy Efficiency Class: A++
- Energy Efficiency Class: A++ kWh/yr: 0.621 kWh
- Total net capacity: 272 litres
- Net fridge capacity: 209 litres
- Net freezer capacity: 63 litres
- Noise level dB(A) re 1 pW: 38
- Climate class SN-T (suitable for ambient temperatures between 10 to 43°C)

### Design features

- Electronic control (LED chain)
- Manual defrost freezer
- Right hinged door, reversible
- Removable magnetic door seals - easy to clean

### Food freshness system

- vitaControl - constant temperature by intelligent sensor technology
- Constant temperature control by intelligent sensor technology
- Single cooling circuit

### Key features - Fridge section

- 5 door bins
- Automatic defrost fridge
- Bright interior LED fridge light
- 5 safety glass shelves in fridge compartment of which 4 are height adjustable
- 1 FreshSafe drawer- The ideal place to store your fruit and vegetables safely.
- 2 x cold accumulator, 2 x egg tray, 2 x ice cube tray

### Key features - Freezer section

- Freezing capacity in 24 hours: 3 kg
- Maximum freezer storage time in power failure: 26 hours
- Removeable safety glass shelves in freezer
- 2 transparent freezer drawers, 1 bigbox
- \*\*\*\* freezer (-18°C and below)
- 4 star freezer rating
- 2 freezer drawers

### Functions




- SuperFreeze function with automatic deactivation

### Dimension and installation

- Connection value 90 W
- Dimensions: 177.2 cm H x 54.1 cm W x 54.5 cm D
- Niche Dimensions: 177.5 cm H x 56 cm W x 55 cm D
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.


N 50, BUILT-IN FRIDGE-FREEZER WITH FREEZER  
AT BOTTOM, 177.2 X 54.1 CM, FLAT HINGE  
K15872F30G

# Dimensioned drawings



The specified unit door dimensions  
are valid for a door gap of 4 mm.  
measurements in mm

measurements in mm  
Recommended gap dimensions for flat hinges



F	R	X
16-19	0-3	2.5
20	0-1	3
	2-3	2.5
21	0-1	3
	2-3	2.5
22	0	4
	1	3.5
	2-3	3

The gap dimensions recommended  
in the table must be adhered to in order  
to ensure that appliance doors do not  
collide with anything when they are opened,  
and to avoid causing damage to kitchen units.