

N 50, BUILT-UNDER FRIDGE, 82 X 59.8 CM, FLAT
HINGE
KU1212FE0G



Optional accessories

KSGG0MZ0	Butter box
KU1213Z0	Attachment door, stainless steel

- ✓ Super Cooling – Reduces the temperature for quick chilling, before returning to the regular setting.
- ✓ Our safety glass shelves happily shoulder generous loads of delicacies in your fridge
- ✓ Home Connect – Add your smart fridge to your home network and stay connected to your kitchen.

Features

Technical Data

Energy Efficiency Class ¹ :	E
Average annual energy consumption in kilowatt hour per year (kWh/a):	93 kWh/annum
Sum of volume of frozen compartments:	0 l
Sum of volume of chill compartments:	134 l
Airborne acoustical noise emissions:	35 dB(A) re 1pW
Airborne acoustical noise emission class:	B
Built-in / Free-standing:	Built-in
Door panel options:	Not possible
Height:	820 mm
Width of the appliance:	598 mm
Depth:	548 mm
Required niche size for installation (HxWxD):	820x600x550 mm
Net weight:	28.5 kg
Fuse protection:	10 A
Door hinge:	Right reversible
Voltage:	220-240 V
Frequency:	50 Hz
Length electrical supply cord:	230 cm
Number of compressors:	1
Number of independent cooling systems:	1
Interior ventilator:	No
Reversible Door Hinge:	Yes
Number of Adjustable Shelves in fridge compartment:	2
Shelves for Bottles:	No
EAN code:	4242004272328
Brand:	Neff
Product name / Commercial code:	KU1212FE0G
Product category:	Refrigerator
Frost free system:	Not applicable
Installation typology:	Full-integrated



¹ Scale of Energy Efficiency Classes from A to G

*N 50, BUILT-UNDER FRIDGE, 82 X 59.8 CM, FLAT
HINGE
KU1212FE0G*

Features

Performance and Consumption

- EU19_EEK_D: E
- Total Volume : 134 l
- Annual Energy Consumption: 93 kWh/a
- Climate Class: SN-T
- Noise Level : 35 dB

Functions

- LED with Soft Start

Design features

- Electronic control (LED chain)
- optical and acoustical
- Holiday mode - saves energy when you're away a longer period of time, Economy setting, Fresh mode, Sabbath-Mode
- Home Connect: Remote diagnostics, Remote Monitoring and Control
- SuperCool function with automatic deactivation
- Automatic defrost fridge
- Easy clean interior

Design features

- Net Fridge Volume : 134 l
- 2 door bins
- Bottle holder in x-deep door tray

Freshness System

Key features - Fridge section

- Right hinged door, reversible
- Fully integrated
- Ventilation through plinth
- Length of power cord: 230 cm
- 220 - 240 V

Dimension and installation

- Niche Dimensions: 82 cm H x 60 cm W x 55 cm D
- Dimensions: 82 cm H x 59.8 cm W x 54.8 cm D

Key features - Freezer section

- KU1212FE0G

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.


Additional features

N 50, BUILT-UNDER FRIDGE, 82 X 59.8 CM, FLAT
HINGE
KU1212FEOG

Dimensioned drawings

measurements in mm


Recommended gap dimensions for flat hinges




F	R	X
16-19	0-3	2.5
20	0-1	3
	2-3	2.5
21	0-1	3
	2-3	2.5
22	0	4
	1	3.5
	2-3	3

The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.

Measurements in mm



Measurements in mm




A: Substructure height

B: ≥ 560 mm (recommended)

Space for electrical connection next to the appliance on the left or right side


Measurements in mm



A: Air inlet ≥ 200 cm²

Dimensioned drawings

Maximal permissible weight of the unit fronts



Fitted unit fronts that exceed the permissible weight may cause damage and result in functional impairment of the hinges

A: Weight ≤ 12 kg