# N 50, fully-integrated dishwasher, 60 cm S513K60X1G













Z7861X1 decorative strips 81cm st.steel

- $\sqrt{\ }$  InfoLight a light projected onto the floor shows you that the dishwasher is in operation
- $\sqrt{\mbox{ Chef }70\mbox{°C}}$  The pro programme that vanishes stubborn residues.
- $\sqrt{\ }$  Aqua Stop: Neff's warranty in case of water damage throughout the lifetime of the appliance.\*
- $\sqrt{}$  Height Adjustable Top Basket: Three different height levels make loading easy and convenient
- $\sqrt{\ }$  Extra Dry: for difficult-to-dry loads select the extra drying option

# Features

# Technical Data

Energy Efficiency Class: E

Energy Consumption for 100 cycles Eco Programme: 94 kWh

Maximum number of place settings: 13

The water consumption of the eco programme in liters per cycle: 9.5

Programme duration: 3:30 h

Airborne acoustical noise emissions: 48 dB(A) re 1 pW

Airborne acoustical noise emission class : C

Built-in / Free-standing : Built-in Height of removable worktop: 0 mm

Dimensions of the product (HxWxD): 815 x 598 x 550 mm Required niche size for installation (HxWxD) :  $815-875 \times 600 \times 550$ 

Approval certificates : CE, VDE

Depth with open door 90 degree: 1150 mm

Adjustable feet: Yes - all from front Maximum adjustability feet: 60 mm

Net weight: 34.2 kg Gross weight: 36.4 kg Connection Rating: 2400 W Fuse protection: 10 A Voltage: 220-240 V Frequency: 50; 60 Hz

Length electrical supply cord: 175 cm

Plug type: GB plug Length inlet hose: 165 cm Length outlet hose: 190 cm EAN code: 4242004222170 Installation typology: Full-integrated





### Performance

• Energy Efficiency Class<sup>1</sup>: E

• Energy<sup>2</sup> / Water<sup>3</sup>: 94 kWh / 9.5 litres

• Capacity: 13 place settings

• Programme duration<sup>4</sup>: 3:30 (h:min)

• Noise level: 48 dB(A) re 1 pW

• Noise Efficiency Class: C

## Programmes/functions

- 6 programmes: Chef 70 °C, Auto 45-65 °C, Eco 50 °C, Glass, 1 hour, Pre rinse
- 5 temperatures
- 2 special options: VarioSpeedPlus, Extra Dry
- Special program 1: Machine Care

# Flexible design elements

- mid TP
- Flex 2 Drawer
- 3 stage Rackmatic height-adjustable top basket
- 2 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- Upper rack cup shelf

# Innovations and technology

- Neff EfficientSilentDrive
- Neff Sparkle glass care system
- Heat exchanger.
- Efficient SilentDrive BLDC motor
- Curved spray arms
- DosageAssist detergent dispenser
- DetergentAware
- Aqua-Sensor, load sensor
- Aqua Stop: Neff's warranty in case of water damage throughout the lifetime of the appliance.\*

# Design features

- Red InfoLight®, Acoustic end of cycle indicator, remaining programme time indicator on top edge, water fault indicator
- Display colour: Red LED indicators
- Large item spray head, including steam protection plate
- Stainless steel/Polinox interior
- Push button top controls
- LED salt refill indicator, LED rinse-aid refill indicator
- Alternating spray arms
- Regenerative electronics
- Self-cleaning filter system with 3 piece corrugated filter
- Time delay (3, 6 or 24 hours)
- Acoustic end of cycle indicator
- Dimensions (HxWxD): 81.5 x 59.8 x 55cm
- <sup>1</sup> Scale of Energy Efficiency Classes from A to G
- <sup>2</sup> Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)
- <sup>3</sup> Water consumption in litres per cycle (in programme Eco 50 °C) <sup>4</sup> Duration of programme Eco 50 °C



