N 50, fully-integrated dishwasher, 60 cm S513N60X1G



COOKING PASSION SINCE 1877









Ontional accessories

Z7860X3 Stainless steel protection set 81,5 cm

The dishwasher that's flexible to load and indicates when it's running.

- $\sqrt{\,}$ InfoLight a light projected onto the floor shows you that the dishwasher is in operation
- $\sqrt{\mbox{ Chef }70\mbox{°C}}$ The pro programme that vanishes stubborn residues.
- $\sqrt{}$ Aqua Stop: Neff's warranty in case of water damage throughout the lifetime of the appliance.*
- $\sqrt{\mbox{ Height Adjustable Top Basket: Three different height levels make loading easy and convenient}$
- $\sqrt{\ }$ Extra Dry: for difficult-to-dry loads select the extra drying option

Features

Technical Data

Energy Efficiency Class : E

Energy Consumption for 100 cycles Eco Programme: 95 kWh

Maximum number of place settings: 14

The water consumption of the eco programme in liters per cycle : $9.5\,$

- 1

Programme duration: 3:45 h

Airborne acoustical noise emissions : 46 dB(A) re 1 pW

Airborne acoustical noise emission class : C

Built-in / Free-standing : Built-in Height of removable worktop : 0 mm

Dimensions of the product (HxWxD) : $815 \times 598 \times 550 \,$ mm Required niche size for installation (HxWxD) : $815-875 \times 600 \times 550 \,$

mm

Approval certificates : CE, VDE

Depth with open door 90 degree: 1150 mm

Adjustable feet : Yes - all from front Maximum adjustability feet : 60 mm

Net weight: 34.2 kg Gross weight: 36.5 kg Connection Rating: 2400 W Fuse protection: 10 A Voltage: 220-240 V Frequency: 50; 60 Hz

Length electrical supply cord: 175 cm

Plug type : GB plug Length inlet hose : 165 cm Length outlet hose : 190 cm EAN code : 4242004244011 Installation typology : Full-integrated





Performance

• Energy Efficiency Class¹: E

• Energy² / Water³: 95 kWh / 9.5 litres

• Capacity: 14 place settings

• Programme duration⁴: 3:45 (h:min)

• Noise level: 46 dB(A) re 1 pW

• Noise Efficiency Class: C

Programmes/functions

- 6 programmes: Chef 70 °C, Auto 45-65 °C, Eco 50 °C, Glass, 1 hour, Pre rinse
- 3 special options: VarioSpeedPlus, HygienePlus, Extra Dry
- Special program 1: Machine Care
- 5 temperatures

Flexible design elements

- mid TP
- Flex 2 Drawer
- 3 stage Rackmatic height-adjustable top basket
- 2 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- Upper rack cup shelf
- Small cutlery basket in bottom basket

Innovations and technology

- Neff EfficientSilentDrive
- Neff Sparkle glass care system
- Heat exchanger.
- Efficient SilentDrive BLDC motor
- Curved spray arms
- DosageAssist detergent dispenser
- DetergentAware
- Aqua-Sensor, load sensor
- Agua Stop: Neff's warranty in case of water damage throughout the lifetime of the appliance.*

Design features

- White interior EmotionLight
- Red InfoLight®, Acoustic end of cycle indicator, remaining programme time indicator on top edge, water fault indicator
- Display colour: Red LED indicators
- Large item spray head, including steam protection plate
- Stainless steel interior
- Push button top controls
- LED salt refill indicator, LED rinse-aid refill indicator
- Alternating spray arms
- Regenerative electronics
- Self-cleaning filter system with 3 piece corrugated filter
- Childproof Door lock
- Time delay (3, 6 or 24 hours)
- Dimensions (HxWxD): 81.5 x 59.8 x 55cm
- 1 Scale of Energy Efficiency Classes from A to G 2 Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)
- ³ Water consumption in litres per cycle (in programme Eco 50 °C)
- ⁴ Duration of programme Eco 50 °C



