N 70, fully-integrated dishwasher, 60 cm S515U80D2G



COOKING PASSION SINCE 1877











Ontional accessories

Z7860X3 Stainless steel protection set 81,5 cm

The dishwasher with cutlery drawer that's extremely flexible to load and displays the time remaining.

- $\sqrt{\,}$ Door Open Assist Just push the door gently to open.
- $\sqrt{}$ TimeLight the time remaining in the programme is projected onto the floor
- $\sqrt{\mbox{ Chef 70^{\circ}C}}$ The pro programme that vanishes stubborn residues.
- $\sqrt{}$ Aqua Stop: Neff's warranty in case of water damage throughout the lifetime of the appliance.*
- $\sqrt{\ }$ Height Adjustable Top Basket: Three different height levels make loading easy and convenient

Features

Technical Data

Energy Efficiency Class : E

Energy Consumption for 100 cycles Eco Programme: 94 kWh

Maximum number of place settings: 13

The water consumption of the eco programme in liters per cycle : $6.7\,$

- 1

Programme duration: 3:55 h

Airborne acoustical noise emissions : 44 dB(A) re 1 pW

Airborne acoustical noise emission class : $\ensuremath{\mathsf{B}}$

Built-in / Free-standing : Built-in Height of removable worktop : 0 mm

Dimensions of the product (HxWxD) : $815 \times 598 \times 550 \,$ mm Required niche size for installation (HxWxD) : $815-875 \times 600 \times 550 \,$

mm

Approval certificates : CE, VDE

Depth with open door 90 degree: 1150 mm

Adjustable feet : Yes - all from front Maximum adjustability feet : 60 mm

Net weight: 41.2 kg Gross weight: 43.5 kg Connection Rating: 2400 W Fuse protection: 10 A Voltage: 220-240 V Frequency: 50; 60 Hz

Length electrical supply cord: 175 cm

Plug type : GB plug Length inlet hose : 165 cm Length outlet hose : 190 cm EAN code : 4242004239055 Installation typology : Full-integrated





Feature

Performance

- Energy Efficiency Class¹: E
- Energy² / Water³: 94 kWh / 6.7 litres
- Capacity: 13 place settings
- Programme duration⁴: 3:55 (h:min)
- Noise level: 44 dB(A) re 1 pW
- Noise Efficiency Class: B

Programmes/functions

- \bullet 8 programmes: Chef 70 °C, Auto 45-65 °C, Eco 50 °C, Silence, Glass, 1h 65 °C, Schnell 45 °C, Vorspülen
- 4 special options: Intensive Zone, VarioSpeedPlus, HygienePlus, Extra Dry
- Special program 1: Machine Care
- 5 temperatures
- EcoDry end of cycle door opening for perfect results, Heat exchanger Hygienic and efficient drying

Flexible design elements

- high TP
- Flex drawer
- 3 stage Rackmatic height-adjustable top basket
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket
- Upper rack cup shelf
- Glass rack in bottom basket

Innovations and technology

- Neff EfficientSilentDrive
- doorOpen Assist Simple to use, designed for handleless kitchens
- Neff Sparkle glass care system
- Heat exchanger.
- Efficient SilentDrive BLDC motor
- Curved spray arms
- DosageAssist detergent dispenser
- DetergentAware
- Aqua-Sensor, load sensor
- Aqua Stop: Neff's warranty in case of water damage throughout the lifetime of the appliance.*

Design features

- TouchControl (metallic)
- White interior EmotionLight
- White TimeLight projection on floor, Acoustic end of cycle indicator, remaining programme time indicator on top edge, water fault indicator
- Display colour: white
- Large item spray head, including steam protection plate
- Stainless steel interior
- Push button top controls
- LED salt refill indicator, LED rinse-aid refill indicator
- Alternating spray arms
- Regenerative electronics
- Self-cleaning filter system with 3 piece corrugated filter
- Childlock when activated double push to open
- Time delay (3, 6 or 24 hours)
- Acoustic end of cycle indicator
- Dimensions (HxWxD): 81.5 x 59.8 x 55cm
- ¹ Scale of Energy Efficiency Classes from A to G
- ² Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)
- ³ Water consumption in litres per cycle (in programme Eco 50 °C)
- 4 Duration of programme Eco 50 $^{\circ}\text{C}$



