







Optional accessories

Z943SE0 Set of 2 pots and 1 pan

- $\sqrt{}$ TwistPad® our removable, magnetic control dial that gives you precise, convenient control over all cooking zones.
- $\sqrt{\,}$ Power Boost optimized power level function for more flexible and even faster heating.
- $\sqrt{\ }$ Induction the heat is generated directly in the cookware for precise cooking that stops when power is off.

Features

Technical Data

Product name/family: Cooking zone ceramic

Construction type : Built-in Energy input : Electric

Total number of positions that can be used at the same time : 4 Required niche size for installation (HxWxD) : $51 \times 880-880 \times 10^{-2}$

330-330

Width of the appliance : 903 Dimensions : $51 \times 903 \times 346$

Dimensions of the packed product (HxWxD) (mm) : 126 \times 1031 \times 472

Net weight (kg): 12.535 Gross weight (kg): 13.7 Residual heat indicator: Separate Location of control panel: Hob front Basic surface material: Ceramic Color of surface: Black

Approval certificates : AENOR, CE Length electrical supply cord (cm) : 110

EAN code: 4242004192404

Electrical connection rating (W): 7400

Voltage (V) : 220-240 Frequency (Hz) : 50; 60





Features

Control

• TwistPad®

Flexibility

- Ring zone
- 4 zone induction hob

Special features

- Boost setting for all zones
- PanBoost
- Variable 17-stage power settings for each zone
- Digital display of cooking levels
- 2 stage residual heat indicators
- Timer with automatic shut off for all zones LED timer for each zone with switch off function and acoustic signal Count up timer
- ReStart function
- Automatic pan recognition Safety cut out facility Control panel lock Control panel suspension
- Keep warm function
- Energy consumption display

Technical information

- Cooking zones: 1 x Ø 180 mm, 1.8 KW (max. Power levels 3.1 KW) Induction; 1 x Ø 180 mm, 1.8 KW (max. Power levels 3.1 KW) Induction; 1 x Ø 145 mm, 1.4 KW (max. Power levels 2.2 KW) Induction; 1 x Ø 210 mm, 2.2 KW (max. Power levels 3.7 KW) Induction
- Measurement: (H/W/D) 51 x 903 x 346 mm
- Installation dimensions: (ID/W/D) 51 mm x 880 mm x 330 mm
- 90 cm width
- Length wire connection: 110 cm
- Main switch
- Min. worktop thickness: 16 mm
- Output 7400 W
- Cable included in packaging



COOKING PASSION SINCE 1877

