N 50, BUILT-IN DOUBLE OVEN
U1ACE5HN0B

Double built-in oven - perfect for grilling, baking and roasting of multiple dishes at the same time.

√ LCD-Display – simple, straightforward with large characters for clear reading

√ Cliprails – Place dishes exactly where you want them in your oven.

Included accessories

3 x combination grid, 1 x universal pan

Optional accessories

Z11AB15A0 Baking tray, non-stick ceramic coated, Z11AU15A0 Universal pan, non-stick ceramic coated, Z11CR10X0 Baking and roasting grid (standard), Z11TI15X0 Cliprails, Z12CB10A0 Baking tray, enamelled, Z12CL10A0 Lid for professional pan, enamelled, Z12CM10A0 Moussaka pan, enamelled, Z12CN10A0 Professional pan, enamelled, Z12CP10A0 Pizza pan, enamelled, Z12CU10A0 Multipurpose pan, enamelled, Z1365WX0 Wireless food thermometer, Z13CR10X0 Baking and roasting grid (steam), Z1608BX0 Full ext rails, level independent, Z1655CA0 Air Fry & Grill tray, Z1913X0 Baking Stone

Features

Technical Data

Built-in / Free-standing: .... Built-in
Integrated Cleaning system: .... No
Dimensions: .... 888x594x550 mm
Dimensions of the packed product (HxWxD): .....960x660x690 mm
Control Panel Material: .... Glass
Door Material: .... Glass
Net weight: .... 53.7 kg
Usable volume (of cavity) - cavity 1: .... 71 l
Cooking method: .... Full width grill, Hotair gentle, Hot Air, Conventional heat, Pizza setting, Bottom heat, Hot air grilling
EAN code: 4242004234043
Energy efficiency rating: .... A
Energy consumption per cycle conventional (2010/30/EC): 1.02 kWh/cycle
Energy consumption per cycle forced air convection (2010/30/EC): .... 0.81 kWh/cycle
Energy efficiency class (2010/30/EC) - cavity 2: .... B
Energy consumption per cycle conventional - cavity 2 (2010/30/EC): .... 0.83 kWh/cycle
Energy efficiency index (2010/30/EC): ....95.3 %
Energy efficiency index cavity 2 (2010/30/EC): .... 120.3 %
Connection Rating: .... 5900 W
Fuse protection: ....32 A
Voltage: ....220-240 V
Frequency: ....50 Hz
Plug type: .... no plug (electrical connection by electrician), fixed connection (electrical connection by electrician)
Included accessories: ....3 x combination grid, 1 x universal pan

N 50, BUILT-IN DOUBLE OVEN
U1ACE5HN0B

Features

• LCD Display (White)

Features

• Control panel lock
• Interior halogen light

Top oven additional features

• Cavity volume: 34 Litre
• Cavity (inner surface) top: Enamel grey
• Door hinge small cavity: bottom
• Full glass inner door

Main oven additional features

• EcoClean Direct: ceiling, back panel, side liners
• Cavity (inner surface) bottom: enamel anthracite
• EcoClean programme, Base Clean programme
• 1 Clip rail, Stop function
• Door hinge big cavity: Drop down door
• Oven with 4 heating methods: Top/bottom heat, Full surface grill, Small area grill, Bottom heat
• Temperature range 50 °C - 275 °C
• 3 x combination grid, 1 x universal pan

Performance/technical information

• Nominal voltage: 220 - 240 V
• Appliance dimension (hxwxd): 888 mm x 594 mm x 550 mm
• Ventilation requirements – please refer to the installation manual prior to fitting

N 50, BUILT-IN DOUBLE OVEN
U1ACE5HN0B

Dimensioned drawings

measurements in mm

20
18
888
774
550
8

Back panel open

19.5
145
405
96
888
870
816
max. 50
594
550

20
875^{+13}
min. 891
min. 550
180
20
60
560^{+10}

Space for appliance connection 320 x 115

measurements in mm