

N 50, built-in double oven, Stainless steel
U1CCC3AN0B



COOKING PASSION SINCE 1877



A



Included accessories

3 x combination grid, 1 x universal pan

Optional accessories

Z11AB15A0 Baking tray, non-stick ceramic coated
Z11CB10E0 Baking tray, grey enamelled
Z11CR10X0 Baking and roasting grid (standard)
Z11TF36X0 3 level telescopic rails, full ext
Z11TI15X0 Cliprails
Z12CQ10A0 Grill tray, anthracite enamelled
Z1913X0 Baking Stone

Double built-in oven - perfect for grilling, baking and roasting of multiple dishes at the same time.

✓ CircoTherm® – Smart hot-air solution that lets you bake on up to three levels at once.

✓ LED-Display - simple, straightforward for clear reading

Features

Technical Data

Color / Material Front : Stainless steel

Built-in / Free-standing : Built-in

Integrated Cleaning system : No

Dimensions : 888 x 594 x 550 mm

Dimensions of the packed product (HxWxD) : 960 x 690 x 660 mm

Control Panel Material : Stainless steel

Door Material : Glass

Net weight : 51.9 kg

Usable volume (of cavity) - cavity 1 : 71 l

Cooking method : Conventional heat, Full width grill, Hot Air, Hotair gentle, Hot air grilling

Oven control : mechanical

Number of interior lights : 1

Approval certificates : CE, VDE

EAN code : 4242004248965

Energy efficiency rating : A

Energy consumption per cycle conventional (2010/30/EC) : 1.02 kWh/cycle

Energy consumption per cycle forced air convection (2010/30/EC) : 0.81 kWh/cycle

Energy efficiency class (2010/30/EC) - cavity 2 : B

Energy consumption per cycle conventional - cavity 2 (2010/30/EC) : 0.83 kWh/cycle

Energy efficiency index (2010/30/EC) : 95.3 %

Energy efficiency index cavity 2 (2010/30/EC) : 120.3 %

Connection Rating : 5900 W

Fuse protection : 32 A

Voltage : 220-240 V

Frequency : 50 Hz

Plug type : fixed connection, no plug



4 242004 248965

N 50, built-in double oven, Stainless steel
U1CCC3ANOB



COOKING PASSION SINCE 1877

Features

Design

- LED Display (Red)
- Electronic clock timer
- Bevelled oval controls, Retractable controls dials, oval
- Cavity (inner surface) top: Enamel grey
- Cavity (inner surface) bottom: enamel grey
- Automatic start
- Heating up indicator
- Interior halogen light
- Bar handle

Top oven additional features

- Temperature range 50 °C - 275 °C
- Cavity volume: 34 Litre
- Door hinge small cavity: bottom

Top oven

- Oven with 3 heating methods: Top/bottom heat, Full surface grill, Small area grill

Main oven additional features

- Door hinge big cavity: Drop down door
- Temperature range 50 °C - 275 °C
- Cavity volume: 71 litre
- 4 shelf positions
- EcoClean programme
- Manual rapid heating up
- Cooling fan
- Oven with 5 heating methods: CircoTherm®, Top/bottom heat, Circo-roasting, Full surface grill, CircoTherm® gentle

Cleaning

- EcoClean Direct: ceiling, back panel, side liners

Accessories

- 3 x combination grid, 1 x universal pan
- Control panel lock

Performance/technical information

- Nominal voltage: 220 - 240 V
- Total connected load electric: 5.9 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): B (at a range of energy efficiency classes from A+++ to D)
Energy consumption per cycle in conventional mode: 0.83 kwh
Number of cavities: Top Cavity
Heat source: electrical
- Energy efficiency rating (acc. EU Nr. 65/2014): B (at a range of energy efficiency classes from A+++ to D)
Energy consumption per cycle in conventional mode: 0.83 kWh
Energy consumption per cycle in fan-forced convection mode: 0.81 kwh
Number of cavities: Main Cavity
Heat source: electrical
- Appliance dimension (h x w x d): 888 mm x 594 mm x 550 mm
- Niche dimension (h x w x d): 875 mm - 888 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

N 50, built-in double oven, Stainless steel
U1CCC3AN0B

Dimensioned drawings

