

## N 30, BUILT-IN DOUBLE OVEN U1CHCOAN0B



A



Z11AB15A0	Baking tray, non-stick ceramic coated
Z11AU15A0	Universal pan, non-stick ceramic coated
Z11CR10X0	Baking and roasting grid (standard)
Z11GT10X3	Glass roasting dish, 5,4l
Z11GU20X0	Glasspan
Z11TF36X0	3 level telescopic rails, full ext
Z11TI15X0	Cliprails
Z12CL10A0	Lid for professional pan, enamelled
Z12CN10A0	Professional pan, enamelled
Z13CR10X0	Baking and roasting grid (steam)
Z1913X0	Baking Stone

Double built-in oven - perfect for grilling, baking and roasting of multiple dishes at the same time.

- ✓ LED-Display - simple, straightforward for clear reading
- ✓ CircoTherm® - Smart hot-air solution that lets you bake on up to three levels at once.

Built-in / Free-standing: ..... Built-in  
Integrated Cleaning system: ..... No  
Dimensions: ..... 888x594x550 mm  
Dimensions of the packed product (HxWxD): . 960 x 660 x 690 mm  
Control Panel Material: .....Stainless steel  
Door Material: ..... Glass  
Net weight: ..... 48.9 kg  
Usable volume (of cavity) - cavity 1: ..... 76 l  
Cooking method: ..... Hotair gentle, Hot Air  
Oven control: ..... mechanical  
Number of interior lights: ..... 1  
EAN code: .....4242004234166  
Energy efficiency rating: ..... A  
Energy consumption per cycle forced air convection  
(2010/30/EC): ..... 0.83 kWh/cycle  
Energy efficiency class (2010/30/EC) - cavity 2: ..... B  
Energy consumption per cycle conventional - cavity 2  
(2010/30/EC): ..... 0.83 kWh/cycle  
Energy efficiency index (2010/30/EC): .....95.4 %  
Energy efficiency index cavity 2 (2010/30/EC): ..... 120.3 %  
Connection Rating: ..... 4800 W  
Fuse protection: .....25 A  
Voltage: .....220-240 V  
Frequency: ..... 50 Hz  
Plug type: ..... no plug  
(electrical connection by electrician), fixed connection (electrical connection by electrician)  
Included accessories cavity 1: ... 3 x combination grid, 1 x universal pan



## N 30, BUILT-IN DOUBLE OVEN U1CHCOAN0B

### Design

- Bevelled oval controls, Retractable controls dials, oval
- LED Display (Red)
- Interior halogen light
- Bar handle

### Features

- Automatic start
- Heating up indicator
- Control panel lock

### Top oven additional features

- Cavity volume: 34 Litre
- Cavity (inner surface) top: Enamel grey
- Full glass inner door
- Door hinge small cavity: bottom

### Main oven additional features

- Cavity volume: 76 l
- Cavity (inner surface) bottom: enamel anthracite
- Door hinge big cavity: Drop down door

### Top oven

- Oven with 3 heating methods: Top/bottom heat, Full surface grill, Small area grill

### Main oven

- Oven with 2 heating methods: CircoTherm®, CircoTherm® gentle
- Temperature range 50 °C - 275 °C

### Accessories


- 3 x combination grid, 1 x universal pan

### Technical information

- Nominal voltage: 220 - 240 V
- Total connected load electric: 4.8 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): B(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode:0.83 kwh
- Number of cavities: Top Cavity Heat source: electrical
- Energy efficiency rating (acc. EU Nr. 65/2014): B(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode:0.83 kWh
- Energy consumption per cycle in fan-forced convection mode:0.83 kWh
- Number of cavities: Main Cavity Heat source: electrical
- Appliance dimension (hxxwx d): 888 mm x 594 mm x 550 mm
- Niche dimension (hxxwx d): 875 mm - 888 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

N 30, BUILT-IN DOUBLE OVEN  
U1CHCOAN0B

measurements in mm



Back panel open

