

N 30, BUILT-IN DOUBLE OVEN U1GCCOANOB





Included accessories

3 x combination grid, 1 x universal pan

Optional accessories

Z1913X0 Baking Stone, Z11AB15A0 Baking tray, non-stick ceramic coated, Z11AU15A0 Universal pan, non-stick ceramic coated, Z11CR10X0 Baking and roasting grid (standard), Z11GT10X3 Glass roasting dish, 5,4l, Z11GU20X0 Glasspan, Z11TI15X0 Cliprails, Z12CB10A0 Baking tray, enamelled, Z12CL10A0 Lid for professional pan, enamelled, Z12CN10A0 Professional pan, enamelled, Z12CN10A0 Professional pan, enamelled, Z12CV10A0 Multipurpose pan, enamelled, Z1365WX0 Wireless food thermometer, Z13CR10X0 Baking and roasting grid (steam), Z1608BX0 Full ext rails, level independent, Z1650BE0 Half tray, Z1655CA0 Air Fry & Grill tray

Double built-in oven - perfect for grilling, baking and roasting of multiple dishes at the same time.

 $\sqrt{\text{LED-Display}}$ - simple, straightforward for clear reading

Features

Technical Data	
Built-in / Free-standing:	Built-in
Integrated Cleaning system:	No
Dimensions:	888x594x550 mm
Dimensions of the packed product (HxWxD):	960x660x690 mm
Control Panel Material:	Stainless steel
Door Material:	Glass
Net weight:	49.6 kg
Usable volume (of cavity) - cavity 1:	71
Cooking method: Full width grill, Ho	otair gentle, Hot Air,
Conventional heat, Hot air grilling	
EAN code:	4242004234173
Energy efficiency rating:	A
Energy consumption per cycle conventional (2010/30/EC): 1.02	
kWh/cycle	
Energy consumption per cycle forced air conve	ction
(2010/30/EC):	0.81 kWh/cycle
Energy efficiency class (2010/30/EC) - cavity 2	: B
Energy consumption per cycle conventional - c	avity 2
(2010/30/EC):	•
Energy efficiency index (2010/30/EC):	
Energy efficiency index cavity 2 (2010/30/EC):	120.3 %
Connection Rating:	5900 W
Fuse protection:	32 A
Voltage:	220-240 V
Frequency:	50 Hz
Plug type:	
(electrical connection by electrician), fixed connection (electrical	
connection by electrician)	
Included accessories:3 x combination g	rid, 1 x universal pan





N 30, BUILT-IN DOUBLE OVEN U1GCCOANOB

Features

- LED Display (Red)
- Interior halogen light

Features

• Control panel lock

Top oven additional features

- Cavity volume: 34 Litre
- Cavity (inner surface) top: Enamel grey
- Full glass inner door
- Door hinge small cavity: bottom

Main oven additional features

- Cavity (inner surface) bottom: enamel anthracite
- Door hinge big cavity: Drop down door
- Oven with 3 heating methods: Top/bottom heat, Full surface grill, Small area grill
- \bullet Temperature range 50 °C 275 °C
- Oven with 5 heating methods: CircoTherm®, Top/bottom heat, Circo-roasting, Full surface grill, CircoTherm® gentle
- 3 x combination grid, 1 x universal pan

Performance/technical information

- Nominal voltage: 220 240 V
- Appliance dimension (hxwxd): 888 mm x 594 mm x 550 mm
- Ventilation requirements please refer to the installation manual prior to fitting



N 30, BUILT-IN DOUBLE OVEN U1GCCOANOB

