


N 50, BUILT-IN DOUBLE OVEN U2ACM7HN0B



A



Optional accessories

Z1352X0 Pizza pan, enamelled, Z13CR10X0 Baking and roasting grid (steam), Z1913X0 Baking Stone, Z19DD10X0 Steam set for ovens, Z11AB15A0 Baking tray, non-stick ceramic coated, Z11AU15A0 Universal pan, non-stick ceramic coated, Z11CB10E0 Baking tray, grey enamelled, Z11CR10X0 Baking and roasting grid (standard), Z11CU10E0 Multipurpose pan, grey enamelled, Z11GT10X3 Glass roasting dish, 5,4l, Z11TE25X0 2 level telescopic shelf rails, Z11TF25X0 2 level telescopic shelf rails, full ext, Z11TF36X0 3 level telescopic rails, full ext, Z11TI15X0 Cliprails, Z11TJ25X0 2 level telescopic rails incl 1VarioClip, Z11TJ35X0 3 level telescopic rails incl 1VarioClip

Double built-in oven - perfect for grilling, baking and roasting of multiple dishes at the same time.

- ✓ Dual cleaning options: Pyrolytic cleaning programmes - just let the oven interior clean itself. EasyClean - the quick and easy option for day to day maintenance.
- ✓ SinglePoint MeatProbe - ensures meats are cooked perfectly every time
- ✓ Cliprails - Place dishes exactly where you want them in your oven.

Features

Technical Data

Built-in / Free-standing: Built-in
Dimensions: 888 x 594 x 550 mm
Dimensions of the packed product (HxWxD): . 960 x 670 x 690 mm
Control Panel Material: Glass
Door Material: Glass
Net weight: 60.7 kg
Usable volume (of cavity) - cavity 1: 71 l
Cooking method: Bread Baking Setting, Full width grill, CircoTherm® gentle, Hot Air, Conventional heat, Pizza setting, Bottom heat, Hot air grilling
Oven control: electronic
Number of interior lights: 1
EAN code: 4242004222101
Energy efficiency rating: A
Energy consumption per cycle conventional (2010/30/EC): 1.02 kWh/cycle
Energy consumption per cycle forced air convection (2010/30/EC): 0.81 kWh/cycle
Energy efficiency class (2010/30/EC) - cavity 2: B
Energy consumption per cycle conventional - cavity 2 (2010/30/EC): 0.83 kWh/cycle
Energy efficiency index (2010/30/EC): 95.3 %
Energy efficiency index cavity 2 (2010/30/EC): 120.3 %
Connection Rating: 6300 W
Fuse protection: 32 A
Voltage: 220-240 V
Frequency: 50 Hz
Plug type: no plug (electrical connection by electrician), fixed connection (electrical connection by electrician)
Included accessories cavity 1: ... 3 x combination grid, 1 x universal pan



4 242004 222101

N 50, BUILT-IN DOUBLE OVEN U2ACM7HNOB

Features

Design

- LCD-display control (white)
- Bevelled oval controls, Retractable controls dials, oval
- Electronic clock timer
- Bar handle

Features

- Door lock during pyrolytic cleaning
- Control panel lock Automatic safety switch off Residual heat indicator
- Temperature proposal
- Automatic start Actual temperature display Heating up indicator meat probe
- Interior halogen light, On/off button

Top oven additional features

- Cavity volume: 34 Litre
- Pyrolytic cleaning in upper oven
- Full glass inner door
- Cavity (inner surface) top: Enamel grey
- Door hinge small cavity: bottom

Main oven additional features

- Cavity volume: 71 litre
- Pyrolytic cleaning
- EasyClean
- Full glass inner doors
- Single-point meat probe
- Cavity (inner surface) bottom: enamel grey
- 1 Clip rail, Stop function
- Door hinge big cavity: Drop down door
- Oven with 4 heating methods: Top/bottom heat, Full surface grill, Small area grill, Bottom heat
- Temperature range 30 °C - 275 °C

Main Oven

- Oven with 8 heating methods: CircoTherm®, Top/bottom heat, Circo-roasting, Full surface grill, CircoTherm® intensive, Bread baking, Bottom heat, CircoTherm® gentle
- Rapid heat

Accessories

- 3 x combination grid, 1 x universal pan

Performance/technical information

- Energy efficiency rating (acc. EU Nr. 65/2014): B(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode:0.83 kwh
- Number of cavities: Top Cavity Heat source: electrical
- Energy efficiency rating (acc. EU Nr. 65/2014): B(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode:0.83 kWh
- Energy consumption per cycle in fan-forced convection mode:0.81 kwh
- Number of cavities: Main Cavity Heat source: electrical

- Total connected load electric: 6.3 KW
- Nominal voltage: 220 - 240 V
- Appliance dimension (hxwxh): 888 mm x 594 mm x 550 mm
- Niche dimension (hxwxh): 875 mm - 888 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

Dimensioned drawings

Technical drawing of a door with the following dimensions:

- Overall width: 550
- Overall height: 888
- Top panel width: 18
- Top panel height: 20
- Bottom panel height: 774
- Bottom panel width: 8

Technical drawing of the built-in oven showing front and back views with dimensions in mm.

Front View Dimensions:

- Top width: 594
- Top depth: 145
- Top left corner: 19.5
- Top left depth: 405
- Left side height: 888
- Left side depth: 96
- Right side height (top): 870
- Right side height (bottom): 816
- Bottom right depth: 550
- Bottom width: 594
- Internal width (max): max. 50

Back View Dimensions:

- Top depth: 20
- Left side height: 875 + 13
- Left side depth: min. 891
- Internal width (min): min. 550
- Internal depth: 180
- Bottom depth: 20
- Bottom width: 560 + 10
- Right side depth: 60

Labels:

- Back panel open
- Space for appliance connection 320 x 115
- measurements in mm